SINGLE PHASE

SURFACE AERATOR

- 120V and 208 240V options
- 1/2HP operates in as little as 15 in. of water
- 3/4HP operates in as little as 17.5 in. of water
- 1HP operates in as little as 19 in. of water
- · Optional control panels feature human rated GFCI protection





1/2, 3/4, 1, 2, 3, & 5HP Available



Optional Lighting Packages



NEW 75 ft. Power Cord on 1HP, 120V Units



2-Year Warranty - 1/2, 3/4, &1HP 3-Year Warranty - 2, 3, & 5HP*



ETL Listed to UL & CSA Standards

120V Packages (Control Panel Sold Separately)

| НР | MODEL | 25 FT | 50 FT | NEW 75 FT | 100 FT | 150 FT | 200 FT |
|-----|------------------|---------|---------|--------------|---------|---------|---------|
| 1/2 | 2400A | \$905 | \$941 | - | \$1,111 | \$1,651 | \$1,892 |
| | 2400AF | - | \$1,203 | - | \$1,373 | \$1,914 | \$2,156 |
| | 2400AF (BTM SCR) | - | \$1,445 | - | \$1,615 | \$2,156 | \$2,398 |
| 3/4 | 3400A | \$988 | \$1,030 | - | \$1,185 | \$1,775 | \$1,996 |
| | 3400AF | - | \$1,286 | - | \$1,463 | \$2,016 | \$2,265 |
| | 3400AF (BTM SCR) | - | \$1,528 | - | \$1,705 | \$2,258 | \$2,507 |
| 1 | 4400A | \$1,096 | \$1,182 | \$1,288 | \$1,692 | \$2,366 | \$2,690 |
| | 4400AF | - | \$1,573 | \$1,680 | \$2,115 | \$2,921 | \$3,192 |
| | 4400AF (BTM SCR) | - | \$1,815 | \$1,922 | \$2,357 | \$3,163 | \$3,434 |

Product Notes:

- 1. Prices in bold have quick disconnect installed on power cords.
- 2. Part # is the model combined with cord length (ex. 2400AF050).
- 3. "A" models only include motor unit, "AF" models include floats, "BTM SCR" models include bottom screens.
- 4. Optional control panels available to allow timing and lights to be managed from shore. See page 56 for details.



Pair Kasco Surface Aerators with Pond Probiotics for maximized water quality results. See page 52 for details.



208-240V Packages (Control Panel Sold Separately)

| НР | MODEL - | CORD LENGTH | | | | | | | | |
|-----|-------------------|-------------|---------|---------|---------|---------|----------|----------|---------|--|
| | | 50 FT | 100 FT | 150 FT | 200 FT | 250 FT | 300 FT | 400 FT | 500 FT | |
| | 3400HA | \$1,076 | \$1,208 | \$1,814 | \$2,007 | \$2,154 | \$2,251 | \$2,724 | Inquire | |
| 3/4 | 3400HAF | \$1,345 | \$1,478 | \$2,083 | \$2,278 | \$2,418 | \$2,515 | \$2,984 | Inquire | |
| | 3400HAF (BTM SCR) | \$1,587 | \$1,720 | \$2,325 | \$2,520 | \$2,660 | \$2,757 | \$3,226 | Inquire | |
| | 4400HA | \$1,228 | \$1,354 | \$2,003 | \$2,205 | \$2,497 | \$2,604 | \$2,884 | Inquire | |
| 1 | 4400HAF | \$1,593 | \$1,718 | \$2,360 | \$2,571 | \$2,785 | \$2,893 | \$2,985 | Inquire | |
| | 4400HAF (BTM SCR) | \$1,835 | \$1,960 | \$2,602 | \$2,813 | \$3,027 | \$3,135 | \$3,227 | Inquire | |
| | 8400A | \$2,060 | \$2,556 | \$2,776 | \$2,964 | \$3,182 | \$4,218 | \$8,296 | Inquire | |
| 2 | 8400AF | \$3,362 | \$3,918 | \$4,118 | \$4,318 | \$4,519 | \$5,476 | \$9,208 | Inquire | |
| | 8400AF (BTM SCR) | \$3,604 | \$4,160 | \$4,360 | \$4,560 | \$4,761 | \$5,718 | \$9,450 | Inquire | |
| 3 | 3.1A | \$2,709 | \$2,977 | \$3,353 | \$4,038 | \$4,432 | \$4,724 | \$8,512 | Inquire | |
| | 3.1AF | \$4,191 | \$4,655 | \$4,818 | \$5,337 | \$5,672 | \$6,058 | \$9,615 | Inquire | |
| | 3.1AF (BTM SCR) | \$4,433 | \$4,897 | \$5,060 | \$5,579 | \$5,914 | \$6,300 | \$9,857 | Inquire | |
| 5 | 5.1A | - | \$4,062 | \$4,776 | \$5,353 | \$6,566 | \$8,855 | \$11,466 | Inquire | |
| | 5.1AF | - | \$5,417 | \$6,213 | \$6,820 | \$8,045 | \$10,192 | \$12,969 | Inquire | |
| | 5.1AF (BTM SCR) | - | \$5,659 | \$6,455 | \$7,062 | \$8,287 | \$10,434 | \$13,211 | Inquire | |

Product Notes:

1. Sames notes apply as previous page.



THREE PHASE

SURFACE AERATOR

- 208-240V
- Control panels have 30ma GFI protection
- "U" models (on next page) do not include control panels
- "U" models (on next page) are ETL Recognized to UL & CSA standards





2, 3 & 5HP Available



Optional Lighting Packages*



3-Year Warranty



ETL Listed to UL & CSA Standards

208-240V Packages (CA-3235 Control Panel Included)

| НР | MODEL | CORD LENGTH | | | | | | | | |
|----|-----------------|-------------|---------|---------|---------|----------|----------|----------|---------|--|
| | | 50 FT | 100 FT | 150 FT | 200 FT | 250 FT | 300 FT | 400 FT | 500 FT | |
| 2 | 2.3AF | \$6,941 | \$7,126 | \$7,496 | \$7,709 | \$8,267 | \$8,643 | \$10,538 | Inquire | |
| 2 | 2.3AF (BTM SCR) | \$7,183 | \$7,368 | \$7,738 | \$7,951 | \$8,509 | \$8,885 | \$10,780 | Inquire | |
| 3 | 3.3AF | \$7,583 | \$7,781 | \$8,163 | \$8,590 | \$8,756 | \$10,109 | \$11,454 | Inquire | |
| | 3.3AF (BTM SCR) | \$7,825 | \$8,023 | \$8,405 | \$8,832 | \$8,998 | \$10,351 | \$11,696 | Inquire | |
| 5 | 5.3AF | - | \$8,307 | \$8,911 | \$9,615 | \$10,297 | \$13,039 | \$13,995 | Inquire | |
| | 5.3AF (BTM SCR) | - | \$8,549 | \$9,153 | \$9,857 | \$10,539 | \$13,281 | \$14,237 | Inquire | |

^{*}If adding a light kit to a three phase unit, an additional control panel is needed. Contact Kasco for assistance.

Product Notes:

- 1. Prices in bold have quick disconnect installed on power cords.
- 2. Part # is the model combined with cord length (ex. 2.3AF050).
- 3. "AF" models include floats, "BTM SCR" models include bottom screens.
- 4. The above three phase models include 30ma trip-level protected control panel (CA-3235). If adding a light kit to a three phase unit, an additional control panel is needed to operate the lights. Contact Kasco for assistance.
- 5. Optional double-mechanical seal and stainless steel domed top available.
- 6. Three phase, 460V-480V available for special order in approved locations only. Contact Kasco for assistance.



208-240V Packages (Control Panel Not Included)

| НР | MODEL | CORD LENGTH | | | | | | | |
|----|------------------|-------------|---------|---------|---------|---------|----------|----------|---------|
| | | 50 FT | 100 FT | 150 FT | 200 FT | 250 FT | 300 FT | 400 FT | 500 FT |
| | U2.3A | \$2,725 | \$2,916 | \$3,290 | \$3,506 | \$4,053 | \$4,447 | \$6,526 | Inquire |
| 2 | U2.3AF | \$4,024 | \$4,209 | \$4,579 | \$4,793 | \$5,350 | \$5,726 | \$7,622 | Inquire |
| | U2.3AF (BTM SCR) | \$4,266 | \$4,451 | \$4,821 | \$5,035 | \$5,592 | \$5,968 | \$7,864 | Inquire |
| | U3.3A | \$3,262 | \$3,466 | \$3,839 | \$4,275 | \$4,452 | \$5,791 | \$7,095 | Inquire |
| 3 | U3.3AF | \$4,662 | \$4,860 | \$5,242 | \$5,669 | \$5,835 | \$7,189 | \$8,533 | Inquire |
| | U3.3AF (BTM SCR) | \$4,904 | \$5,102 | \$5,484 | \$5,911 | \$6,077 | \$7,431 | \$8,775 | Inquire |
| 5 | U5.3A | - | \$4,024 | \$4,626 | \$5,544 | \$6,004 | \$8,736 | \$10,025 | Inquire |
| | U5.3AF | - | \$5,392 | \$5,996 | \$6,699 | \$7,381 | \$10,124 | \$11,079 | Inquire |
| | U5.3AF (BTM SCR) | - | \$5,634 | \$6,238 | \$6,941 | \$7,623 | \$10,366 | \$11,321 | Inquire |

Product Notes:

1. Same notes apply as previous page.

