

FOUNTAINS | 50HZ

Kasco®

MOVING WATER FORWARD, SINCE 1968

FOUNTAINS

Enhance aesthetics and improve water health with Kasco Fountains. Various sizes and display patterns are available to compliment any pond or lake. All fountains deliver reliable and efficient performance and feature marine-grade stainless steel components.

DISPLAYS YOU CAN DEPEND ON



Contact us today to learn more | +1.715.262.4488 | kascomarine.com

EJ SERIES FOUNTAINS

- Includes an impeller guard and bottom screen to prevent clogging
- Stub cord includes quick disconnect and stainless steel strain relief
- Customer or installer adds additional length power cord as needed



5 Patterns Available*



Premium Nozzles Available



Shallow Operating Depths**



Lighting Packages Available



2-Year Warranty



CE Marked

EJ FOUNTAIN PACKAGES

PART #	HP	VOLT (V)	PHASE	CORD LENGTH (m)
2400EJF000	1/2	220	1	Stub Cord (1m)
2400EJF010	1/2	220	1	10
2400EJF030	1/2	220	1	30
3400EJF000	3/4	220	1	Stub Cord (1m)
3400EJF010	3/4	220	1	10
3400EJF030	3/4	220	1	30
4400EJF000	1	220	1	Stub Cord (1m)
4400EJF010	1	220	1	10
4400EJF030	1	220	1	30
8400EJF000	2	220	1	Stub Cord (1m)
2.3EHJF000	2	380	3	Stub Cord (1m)
3.1EJF000	3	220	1	Stub Cord (1m)
3.3EHJF000	3	380	3	Stub Cord (1m)
5.3EHJF000	5	380	3	Stub Cord (1m)

*All HP can achieve 5 patterns. 1/2 and 3/4HP units can operate without a nozzle to create the Willow Pattern. 1, 2, 3, and 5HP units arrive from the factory with the Birch Pattern pre-installed. See table below to see which patterns come with each HP.

**1/2HP units operate in 45cm of water. 3/4HP units operate in 49cm of water. 1HP units operate in 51cm of water. 2HP units operate in 61cm of water. 3HP units operate in 67cm of water. 5HP units operate in 72cm of water.

Product Notes:

1. Custom cord lengths available. Contact Kasco for details.
2. Food grade mineral oil option available. Contact Kasco for pricing.
3. 2.3, 3.1, 3.3, and 5.3 units feature stainless steel motor tops, legs, bottom screen, and flex sleeving on stub cord.

PATTERN DIMENSIONS

HP	PATTERN DIMENSIONS (W X H) (m)							
	SEQUOIA	CYPRESS	WILLOW	LINDEN	BIRCH	BALSAM	REDWOOD	SPRUCE
1/2	2.4 x 3.2	4.5 x 1.8	5.2 x 1.6	6.7 x 2.3	1.5 x 1.7	-	-	-
3/4	2.4 x 3.5	5.5 x 2.1	5.8 x 1.9	8.5 x 2.7	2 x 2.1	-	-	-
1	-	-	-	9.4 x 3.4	2.4 x 2.3	7.3 x 2.9	1.5 x 4.9	2.1 x 4.7
2	-	-	-	10.7 x 5.2	3 x 3.5	9.4 x 4.9	1.8 x 6.9	2.7 x 6.6
3	-	-	-	11.9 x 5.5	2.7 x 4.9	7.9 x 3.8	1.8 x 7.2	2.7 x 7
5	-	-	-	12.2 x 6.2	3 x 5.8	9.4 x 4.7	1.8 x 8.1	2.7 x 7.9

EJ SERIES PREMIUM NOZZLES

Further define your EJ Series experience with a Premium Nozzle, available for all HP sizes. Purchased separately, Kasco Premium Nozzles provide crisp and distinct streams of water for dramatic and attention-demanding displays.


PATTERN	DIMENSIONS (W X H) (m)					
	1/2HP	3/4HP	1HP	2HP	3HP	5HP
Mighty Oak	5.3 x 2.1	5.3 x 2.9	10.4 x 3.4	14.6 x 5	17.1 x 5.9	18.3 x 6.9
Magnolia	6.1 x 2	8.8 x 2.6	10.1 x 2.9	15.2 x 4.4	17.1 x 5.3	22.6 x 6.2
Mahogany	5.5 x 2.4	7.9 x 3.2	9.1 x 3.2	13.4 x 5	17.1 x 5.9	18.9 x 6.9
Madrone	6.1 x 2.4	8.5 x 3.4	9.4 x 3.4	14.6 x 5	17.1 x 6.1	18.9 x 7
Palm	-	-	6.1 x 2.6	8.5 x 3.8	10.1 x 4.7	10.4 x 5.1
Fern			8.5 x 2.4	10.4 x 4	15.8 x 4.9	19.8 x 6.1




MIGHTY OAK



MAGNOLIA



MAHOGANY



MADRONE



PALM



FERN



BALSAM



LINDEN



BIRCH



SPRUCE



REDWOOD

EVFX SERIES FOUNTAINS

- 1/2, 3/4, 1, & 3HP available as single phase
- 3HP also available as three phase
- Includes bottom screen to prevent clogging
- Stub cord includes quick disconnect and stainless steel strain relief



Classic V-shaped
Pattern



Shallow Operating
Depths*



Lighting Packages
Available



2-Year Warranty



CE Marked



EVFX FOUNTAIN PACKAGES

PART #	HP	VOLT (V)	PHASE	CORD LENGTH (m)
2400EVFX000	1/2	220	1	Stub Cord (1m)
2400EVFX010	1/2	220	1	10
2400EVFX030	1/2	220	1	30
3400EVFX000	3/4	220	1	Stub Cord (1m)
3400EVFX010	3/4	220	1	10
3400EVFX030	3/4	220	1	30
4400EVFX000	1	220	1	Stub Cord (1m)
4400EVFX010	1	220	1	10
4400EVFX030	1	220	1	30
3.1EVFX000	3	220	1	Stub Cord (1m)
3.3EHVFX000	3	380	3	Stub Cord (1m)

*1/2HP units operate in 45cm of water. 3/4HP units operate in 49cm of water. 1HP units operate in 51cm of water. 3HP units operate in 67cm of water.

Product Notes:

1. Custom cord lengths available. Contact Kasco for details.
2. Food grade mineral oil option available. Contact Kasco for pricing.

WATERGLOW LIGHTING

COMPOSITE LED *NON-CE MARKED*

These LED Lighting Systems provide classic elegance and include 4 colored lenses to create the perfect illuminated display.

- Available for fountains and surface aerators
- Includes light fixtures, snap-on clips, stub cord, colored lenses, lens caps, and waterproof disconnect caps
- 3- and 6-fixture kits available

