

# 3/4HP & 1HP

## J SERIES FOUNTAINS

- 120V and 208-240V, single phase options
- 1-piece float blends in with water's surface and is easy to install
- Composite bottom screen helps prevent clogging
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included\*



Shallow Operating Depths\*\*



Lighting Packages Available



2-Year Warranty



ETL Listed to UL & CSA Standards

HP	CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
120V, SINGLE PHASE PACKAGES									
3/4	PART NUMBER	3400JF050	3400JF100	3400JF150	3400JF200	-	-	-	-
	MSRP	\$2,116	\$2,309	<b>\$2,910</b>	<b>\$3,179</b>	-	-	-	-
1	PART NUMBER	4400JF050	4400JF100	4400JF150	4400JF200	-	-	-	-
	MSRP	\$2,550	<b>\$3,147</b>	<b>\$3,733</b>	<b>\$4,086</b>	-	-	-	-
208-240V, SINGLE PHASE PACKAGES									
3/4	PART NUMBER	3400HJF050	3400HJF100	3400HJF150	3400HJF200	3400HJF250	3400HJF300	3400HJF400	3400HJF500
	MSRP	\$4,245	\$4,408	<b>\$5,186</b>	<b>\$5,433</b>	<b>\$5,543</b>	<b>\$5,672</b>	<b>\$6,266</b>	<b>Inquire</b>
1	PART NUMBER	4400HJF050	4400HJF100	4400HJF150	4400HJF200	4400HJF250	4400HJF300	4400HJF400	4400HJF500
	MSRP	\$4,770	\$4,935	<b>\$5,766</b>	<b>\$6,029</b>	<b>\$6,294</b>	<b>\$6,424</b>	<b>\$6,562</b>	<b>Inquire</b>

\*Packages come with 4 twist-and-lock nozzles (Cypress, Linden, Sequoia, and Birch). The Willow pattern is achieved by operating the fountain without a nozzle.

\*\*3/4HP units operate in as little as 17.5 in. of water. 1HP units operate in as little as 19 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. 3/4 and 1HP, 120V single phase options include C-25 control panel.
3. 3/4 and 1HP, 208-240V single phase options include C-85 control panel.



NEVER enter the water with electrical equipment connected and / or in operation.

# 2HP & 3HP

## J SERIES FOUNTAINS

- 208-240V, single and three phase options
- 1-piece float blends in with water's surface and is easy to install
- Stainless steel components provide increased performance and longevity
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included\*



Shallow Operating Depths\*\*



Lighting Packages Available



3-Year Warranty - 2HP Units\*\*\*  
5-Year Warranty - 3HP Units



ETL Listed to UL & CSA Standards

HP	CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES									
2	PART NUMBER	8400JF050	8400JF100	8400JF150	8400JF200	8400JF250	8400JF300	8400JF400	8400JF500
	MSRP	\$6,293	<b>\$6,865</b>	<b>\$7,004</b>	<b>\$7,193</b>	<b>\$7,415</b>	<b>\$8,444</b>	<b>\$12,452</b>	<b>Inquire</b>
3	PART NUMBER	3.1JF050	3.1JF100	3.1JF150	3.1JF200	3.1JF250	3.1JF300	3.1JF400	3.1JF500
	MSRP	\$7,422	<b>\$7,935</b>	<b>\$8,124</b>	<b>\$8,883</b>	<b>\$9,508</b>	<b>\$9,891</b>	<b>\$12,782</b>	<b>Inquire</b>
208-240V, THREE PHASE PACKAGES									
2	PART NUMBER	2.3JF050	2.3JF100	2.3JF150	2.3JF200	2.3JF250	2.3JF300	2.3JF400	2.3JF500
	MSRP	<b>\$10,767</b>	<b>\$11,062</b>	<b>\$11,426</b>	<b>\$11,745</b>	<b>\$12,491</b>	<b>\$13,083</b>	<b>\$13,849</b>	<b>Inquire</b>
3	PART NUMBER	3.3JF050	3.3JF100	3.3JF150	3.3JF200	3.3JF250	3.3JF300	3.3JF400	3.3JF500
	MSRP	<b>\$11,181</b>	<b>\$11,474</b>	<b>\$11,841</b>	<b>\$12,498</b>	<b>\$12,905</b>	<b>\$14,404</b>	<b>\$15,486</b>	<b>Inquire</b>

\*Packages include 5 twist-and-lock nozzles (Balsam, Linden, Birch, Spruce, and Redwood).

\*\*2HP units operate in as little as 20 in. of water. 3HP units operate in as little as 24 in. of water.

\*\*\*Extended warranty available on 2HP units.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. 2 and 3HP, single phase units utilize stainless steel top and bottom screens, and composite motor top and legs.
3. 2 and 3HP, three phase units utilize stainless steel top and bottom screens, motor top, legs, and stub cord protective sleeving.
4. 2HP, single phase options include C-85 control panel. 3HP, single phase options include C-95 control panel.
5. 2 and 3HP, three phase units include CF-3235 control panel.
6. 460-480V, three phase options available for special order in approved locations only. Contact Kasco for details.




NEVER enter the water with electrical equipment connected and / or in operation.

# 5HP & 7.5HP

## J SERIES FOUNTAINS

- 208-240V, 5HP available as single and three phase options
- 208-240V, 7.5HP available as three phase only
- 1-piece float blends in with water’s surface and is easy to install
- Stainless steel components provide increased performance and longevity
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included\*



Shallow Operating Depths\*\*



Lighting Packages Available



5-Year Warranty



ETL Listed to UL & CSA Standards

HP	CORD LENGTH	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES								
5	PART NUMBER	5.1JF100	5.1JF150	5.1JF200	5.1JF250	5.1JF300	5.1JF400	5.1JF500
	MSRP	<b>\$9,285</b>	<b>\$10,372</b>	<b>\$11,180</b>	<b>\$12,694</b>	<b>\$15,161</b>	<b>\$16,402</b>	<b>Inquire</b>
208-240V, THREE PHASE PACKAGES								
5	PART NUMBER	5.3JF100	5.3JF150	5.3JF200	5.3JF250	5.3JF300	5.3JF400	5.3JF500
	MSRP	<b>\$11,948</b>	<b>\$12,699</b>	<b>\$13,574</b>	<b>\$14,052</b>	<b>\$17,406</b>	<b>\$18,698</b>	<b>Inquire</b>
7.5	PART NUMBER	7.3JF100	7.3JF150	7.3JF200	7.3JF250	7.3JF300	7.3JF400	7.3JF500
	MSRP	<b>\$12,254</b>	<b>\$13,272</b>	<b>\$13,922</b>	<b>\$16,047</b>	<b>\$17,252</b>	<b>\$20,251</b>	<b>Inquire</b>

\*Packages include 5 twist-and-lock nozzles (Balsam, Linden, Birch, Spruce, and Redwood).

\*\*5HP units operate in as little as 26 in. of water. 7.5HP units operate in as little as 28 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. All 5 and 7.5HP units utilize stainless steel top and bottom screens, motor top, legs, and protective stub cord sleeving.
3. 5HP, single phase units include C-95 control panel. 5HP, three phase units include CF-3235 control panel.
4. 7.5HP, three phase units include CF-3075 control panel.
5. 460-480V, three phase options available for special order in approved locations only. Contact Kasco for details.



NEVER enter the water with electrical equipment connected and / or in operation.

# PREMIUM NOZZLES

## FOR J SERIES FOUNTAINS

Further define your J Series experience with a Premium Nozzle, available for all HP sizes. Purchased separately, Kasco Premium Nozzles generate crisp and distinct streams of water, delivering dramatic and captivating displays.



Fern



Available for All J Series Fountains



4 Pattern Choices for 3/4 & 1HP Units




6 Pattern Choices for 2, 3, 5, & 7.5HP Units



Twist-and-lock Installation



Purchased Separately



Mighty Oak



Magnolia



Mahogany



Madrone



Palm

PATTERN	3/4 & 1HP PART NUMBERS & DIMENSIONS (H x W) (FT)				2, 3, 5, & 7.5HP PART NUMBERS & DIMENSIONS (H x W) (FT)					
	SINGLE PHASE									
	PART #	3/4HP	1HP	MSRP	PART #	2HP	3HP	5HP	7.5HP	MSRP
Mighty Oak	431335K	10 x 24	13 x 34	\$75	841335K	14.5 x 40	19.5 x 51	24.5 x 58	-	\$325
Magnolia	431325K	9 x 29	11.5 x 37	\$75	841325K	14 x 35	18 x 60	23.5 x 72	-	\$325
Mahogany	431345K	11.5 x 28	14 x 34	\$75	841345K	12 x 43	19 x 48	28 x 64	-	\$325
Madrone	431330K	11.5 x 28	14 x 35	\$75	841330K	15 x 43	20 x 59	24 x 70	-	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	-	\$325
Fern	-	-	-	-	841315K	12 x 36	16 x 54	23 x 68	-	\$325
THREE PHASE										
Mighty Oak	-	-	-	-	841335K	14.5 x 40	19.5 x 51	24.5 x 58	27 x 60	\$325
Magnolia	-	-	-	-	841325K	13.5 x 40	18 x 60	23.5 x 72	26 x 80	\$325
Mahogany	-	-	-	-	841345K	14.5 x 35.5	20 x 47	25 x 55	29 x 72	\$325
Madrone	-	-	-	-	841330K	15 x 43	20 x 51	25 x 57	26 x 75	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	22 x 42	\$325
Fern	-	-	-	-	841315K	12 x 36	19 x 53	23 x 59	24 x 66	\$325

# PREMIUM NOZZLES

## FOR J SERIES FOUNTAINS

Further define your J Series experience with a Premium Nozzle, available for all HP sizes. Purchased separately, Kasco Premium Nozzles generate crisp and distinct streams of water, delivering dramatic and captivating displays.



Fern



Available for All J Series Fountains



4 Pattern Choices for 3/4 & 1HP Units




6 Pattern Choices for 2, 3, 5, & 7.5HP Units



Twist-and-lock Installation



Purchased Separately



Mighty Oak



Magnolia



Mahogany



Madrone



Palm

PATTERN	3/4 & 1HP PART NUMBERS & DIMENSIONS (H x W) (FT)				2, 3, 5, & 7.5HP PART NUMBERS & DIMENSIONS (H x W) (FT)					
	SINGLE PHASE									
	PART #	3/4HP	1HP	MSRP	PART #	2HP	3HP	5HP	7.5HP	MSRP
Mighty Oak	431335K	10 x 24	13 x 34	\$75	841335K	14.5 x 40	19.5 x 51	24.5 x 58	-	\$325
Magnolia	431325K	9 x 29	11.5 x 37	\$75	841325K	14 x 35	18 x 60	23.5 x 72	-	\$325
Mahogany	431345K	11.5 x 28	14 x 34	\$75	841345K	12 x 43	19 x 48	28 x 64	-	\$325
Madrone	431330K	11.5 x 28	14 x 35	\$75	841330K	15 x 43	20 x 59	24 x 70	-	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	-	\$325
Fern	-	-	-	-	841315K	12 x 36	16 x 54	23 x 68	-	\$325
THREE PHASE										
Mighty Oak	-	-	-	-	841335K	14.5 x 40	19.5 x 51	24.5 x 58	27 x 60	\$325
Magnolia	-	-	-	-	841325K	13.5 x 40	18 x 60	23.5 x 72	26 x 80	\$325
Mahogany	-	-	-	-	841345K	14.5 x 35.5	20 x 47	25 x 55	29 x 72	\$325
Madrone	-	-	-	-	841330K	15 x 43	20 x 51	25 x 57	26 x 75	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	22 x 42	\$325
Fern	-	-	-	-	841315K	12 x 36	19 x 53	23 x 59	24 x 66	\$325

# 1/2HP, 3/4HP, & 1HP

## VFX SERIES FOUNTAINS



- 120V and 208-240V, single phase options
- 1-piece float blends in with water's surface and is easy to install
- Bottom screen helps prevent clogging
- Manage from shore with included human-rated, GFCI-protected control panel



Classic V-shaped Pattern



Shallow Operating Depths\*



Lighting Packages Available



2-Year Warranty



ETL Listed to UL & CSA Standards

HP	DISPLAY		CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
	H (FT)	W (FT)									
120V, SINGLE PHASE PACKAGES											
1/2	5	15	PART #	2400VFX050	2400VFX100	2400VFX150	2400VFX200	-	-	-	-
			MSRP	\$1,762	\$1,945	<b>\$2,530</b>	<b>\$2,792</b>	-	-	-	-
3/4	5.5	21	PART #	3400VFX050	3400VFX100	3400VFX150	3400VFX200	-	-	-	-
			MSRP	\$1,957	\$2,151	<b>\$2,776</b>	<b>\$3,059</b>	-	-	-	-
1	8	26	PART #	4400VFX050	4400VFX100	4400VFX150	4400VFX200	-	-	-	-
			MSRP	\$2,240	<b>\$2,864</b>	<b>\$3,445</b>	<b>\$3,897</b>	-	-	-	-
208-240V, SINGLE PHASE PACKAGES											
3/4	5.5	21	PART #	3400HVFX050	3400HVFX100	3400HVFX150	3400HVFX200	3400HVFX250	3400HVFX300	3400HVFX400	3400HVFX500
			MSRP	\$3,912	\$4,077	<b>\$4,843</b>	<b>\$5,090</b>	<b>\$5,207</b>	<b>\$5,332</b>	<b>\$5,912</b>	<b>Inquire</b>
1	8	26	PART #	4400HVFX050	4400HVFX100	4400HVFX150	4400HVFX200	4400HVFX250	4400HVFX300	4400HVFX400	4400HVFX500
			MSRP	\$4,196	\$4,345	<b>\$5,128</b>	<b>\$5,380</b>	<b>\$5,637</b>	<b>\$5,768</b>	<b>\$6,322</b>	<b>Inquire</b>

\*1/2HP units operate in as little as 17.5 in. of water. 3/4HP units operate in as little as 17.5 in. of water. 1HP units operate in as little as 19 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. 1/2, 3/4, and 1HP, 120V, single phase units include C-25 control panel.
3. 3/4 and 1HP, 208-240V, single phase units include C-85 control panel.



NEVER enter the water with electrical equipment connected and / or in operation.

# 2HP & 5HP

## VFX SERIES FOUNTAINS

- 208-240V, single and three phase options
- 1-piece float blends in with water's surface and is easy to install
- Top and bottom screens help prevent clogging
- Manage from shore with included human-rated, GFCI-protected control panel



Classic V-shaped Pattern



Shallow Operating Depths\*



Lighting Packages Available



3-Year Warranty\*\*



ETL Listed to UL & CSA Standards

HP	DISPLAY		CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
	H (FT)	W (FT)									
<b>208-240V, SINGLE PHASE PACKAGES</b>											
2	8	32	PART #	8400VFX050	8400VFX100	8400VFX150	8400VFX200	8400VFX250	8400VFX300	8400VFX400	8400VFX500
			MSRP	\$6,633	<b>\$7,216</b>	<b>\$7,404</b>	<b>\$7,602</b>	<b>\$7,840</b>	<b>\$8,859</b>	<b>\$12,730</b>	<b>Inquire</b>
5	9	34	PART #	-	5.1VFX100	5.1VFX150	5.1VFX200	5.1VFX250	5.1VFX300	5.1VFX400	5.1VFX500
			MSRP	-	<b>\$9,361</b>	<b>\$10,321</b>	<b>\$11,062</b>	<b>\$12,374</b>	<b>\$14,576</b>	<b>\$16,718</b>	<b>Inquire</b>
<b>208-240V, THREE PHASE PACKAGES</b>											
2	8	32	PART #	2.3VFX050	2.3VFX100	2.3VFX150	2.3VFX200	2.3VFX250	2.3VFX300	2.3VFX400	2.3VFX500
			MSRP	<b>\$10,502</b>	<b>\$10,730</b>	<b>\$11,160</b>	<b>\$11,384</b>	<b>\$12,105</b>	<b>\$12,700</b>	<b>\$13,777</b>	<b>Inquire</b>
5	9	34	PART #	-	5.3VFX100	5.3VFX150	5.3VFX200	5.3VFX250	5.3VFX300	5.3VFX400	5.3VFX500
			MSRP	-	<b>\$11,731</b>	<b>\$12,477</b>	<b>\$13,741</b>	<b>\$14,339</b>	<b>\$17,641</b>	<b>\$19,034</b>	<b>Inquire</b>

\*2HP units operate in as little as 20 in. of water. 5HP units operate in as little as 26 in. of water.

\*\*Extended warranty available on 2HP and 5HP units.

**Product Notes:**

1. Prices in bold have quick disconnect installed on power cords.
2. 2HP, single phase units include C-85 control panel. 5HP, single phase units include C-95 control panel.
3. 2 and 5HP, three phase units include CF-3235 control panel.
4. Three phase units are constructed with a durable stainless steel motor top for reliable performance in all environments.
5. Mesh screen (included) around bottom screen further helps prevent clogging.
6. 460-480V, three phase option available for special order in approved locations only. Contact Kasco for details.



NEVER enter the water with electrical equipment connected and / or in operation.

# RGBW18 LED

## RGBW COLOR & CONTROL

- Includes fixtures, brackets, snap-on clips, and power cord with quick disconnect
- Seamless control through mobile device and app
- 2-, 3-, and 4-fixture kits available in multiple power cord lengths
- Runs on 120Vac power



Vibrant RGBW Color Output



Watertight Composite Housings



Up to 400 ft. of Operational Distance



18 Watts and 1,272 Lumens Per Fixture




3-Year Warranty

CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500 FT
2-FIXTURE KITS								
PART NUMBER	LED2RGBW18-050	LED2RGBW18-100	LED2RGBW18-150	LED2RGBW18-200	LED2RGBW18-250	LED2RGBW18-300	LED2RGBW18-400	LED2RGBW18-500
Contact Kasco for Pricing.								
3-FIXTURE KITS								
PART NUMBER	LED3RGBW18-050	LED3RGBW18-100	LED3RGBW18-150	LED3RGBW18-200	LED3RGBW18-250	LED3RGBW18-300	LED3RGBW18-400	LED3RGBW18-500
Contact Kasco for Pricing.								
4-FIXTURE KITS								
PART NUMBER	LED4RGBW18-050	LED4RGBW18-100	LED4RGBW18-150	LED4RGBW18-200	LED4RGBW18-250	LED4RGBW18-300	LED4RGBW18-400	LED4RGBW18-500
Contact Kasco for Pricing.								

**Product Notes:**

1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. All kits include a control fixture with an antenna to increase signal strength. This should be placed on the float like the regular light fixtures.
3. Fixtures are daisy-chained together with a single, submersible quick disconnect.
4. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
5. Fixtures cannot be serviced in the field and individual fixtures cannot be swapped.
6. RGBW18 3- and 4-fixture kits require a 6-light kit adapter (PN 840306). See page 67.
7. RGBW18 4-fixture kits must use the 3HP and 5HP surface aerator 3-piece sectional float.



3HP J Series Fountain with Mighty Oak Premium Nozzle & RGBW18 LED Light Kit

# W25 LED

## SIMPLE, CLASSIC BRILLIANCE

- Includes fixtures, brackets, snap-on clips, and power cord with quick disconnect
- No controller required allows for plug and play operation
- 2-, 3-, and 4-fixture kits available in multiple power cord lengths
- Runs on 120Vac power



Cool, Radiant Glow



Watertight Composite Housings



Power Cord Lengths up to 500 ft.



25 Watts and 3,569 Lumens Per Fixture



3-Year Warranty

CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500 FT
2-FIXTURE KITS								
PART NUMBER	LED2W25-050	LED2W25-100	LED2W25-150	LED2W25-200	LED2W25-250	LED2W25-300	LED2W25-400	LED2W25-500
Contact Kasco for Pricing.								
3-FIXTURE KITS								
PART NUMBER	LED3W25-050	LED3W25-100	LED3W25-150	LED3W25-200	LED3W25-250	LED3W25-300	LED3W25-400	LED3W25-500
Contact Kasco for Pricing.								
4-FIXTURE KITS								
PART NUMBER	LED4W25-050	LED4W25-100	LED4W25-150	LED4W25-200	LED4W25-250	LED4W25-300	LED4W25-400	LED4W25-500
Contact Kasco for Pricing.								

**Product Notes:**


1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. Fixtures are daisy-chained together with a single, submersible quick disconnect.
3. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
4. Fixtures cannot be serviced in the field and individual fixtures cannot be swapped.
5. W25 4-fixture kits require a 6-light kit adapter (PN 840306). See page 67.
6. W25 4-fixture kits must use the 3HP and 5HP surface aerator 3-piece sectional float.



# RGB LED

## A CUSTOMIZED NIGHTTIME EXPERIENCE

- Packages include light fixtures, brackets, snap-on clips, power cord, waterproof disconnect caps, remote control, and RGB control panel
- 3- and 6-fixture kits available in multiple power cord lengths
- Runs on 24Vdc power



9 Vibrant Color Choices



Durable Composite Housings for Watertight Operation



Power Cord Lengths up to 400 ft.



5 Watts Per Fixture




2-Year Warranty

CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT
3-FIXTURE KITS							
PART NUMBER	RGB3C5-050	RGB3C5-100	RGB3C5-150	RGB3C5-200	RGB3C5-250	RGB3C5-300	RGB3C5-400
MSRP	\$1,535	\$1,753	\$1,971	\$2,185	\$2,418	\$3,120	\$4,048
6-FIXTURE KITS							
PART NUMBER	RGB6C5-050	RGB6C5-100	RGB6C5-150	RGB6C5-200	RGB6C5-250	RGB6C5-300	RGB6C5-400
MSRP	\$2,633	\$3,090	\$3,548	\$4,007	\$4,481	\$5,997	\$7,509

Product Notes:

1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. Waterproof disconnect caps allow customers to leave the main power cord in the water when fixtures are pulled for maintenance or storage.
3. Main power cord does not have its own quick disconnect.
4. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
5. 6-fixture kits ship with 2 power cords, each with 3 fixtures.
6. When adding a RGB LED light kit to a 2, 3, and 5HP surface aerator, be sure to also order a 3-light kit adapter or 6-light kit adapter. See page 67.
7. Universal Lighting available for non-Kasco units. Contact Kasco for details.



1HP J Series Fountain with Magnolia Premium Nozzle & RGB LED Light Kit

# COMPOSITE LED

## THE PERFECT VIBRANT SETTING

- Includes light fixtures, brackets, snap-on clips, power cord, waterproof disconnect caps, colored lenses, and lens caps
- 3- and 6-fixture kits available in multiple power cord lengths
- Runs on 120Vac power



Displays White and Includes Red, Green, Blue, and Amber Lenses



Durable Composite Fixtures for Watertight Operation



Power Cord Lengths up to 500 ft.



11 Watts and 910 Lumens Per Fixture



2-Year Warranty

CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500 FT
3-FIXTURE KITS								
PART NUMBER	LED3C11-050	LED3C11-100	LED3C11-150	LED3C11-200	LED3C11-250	LED3C11-300	LED3C11-400	LED3C11-500
MSRP	\$922	\$1,016	\$1,103	\$1,200	\$1,327	\$1,412	\$1,552	\$2,130
6-FIXTURE KITS								
PART NUMBER	LED6C11-050	LED6C11-100	LED6C11-150	LED6C11-200	LED6C11-250	LED6C11-300	LED6C11-400	LED6C11-500
MSRP	\$1,747	\$1,827	\$1,918	\$2,014	\$2,113	\$2,222	\$2,385	\$2,717

**Product Notes:**

1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. Waterproof disconnect caps allow customers to leave the main power cord in the water when fixtures are pulled for maintenance or storage.
3. Main power cord does not have its own quick disconnect.
4. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
5. When adding a Composite LED light kit to a 2, 3, and 5HP surface aerator, be sure to also order a 3-light kit adapter or 6-light kit adapter. See page 67.
6. Universal Lighting available for non-Kasco units. Contact Kasco for details.



# STAINLESS STEEL LED

## ILLUMINATION IN ALL ENVIRONMENTS

- Includes light fixtures, brackets, snap-on clips, power cord with quick disconnect, colored lenses, and lens caps
- 3- and 6-fixture kits available in multiple power cord lengths
- Runs on 120Vac power



Displays White and Includes Red, Green, Blue, and Amber Lenses



Durable Stainless Steel Fixtures for Watertight Operation



19 Watts and 1,700 Lumens Per Fixture



3-Year Warranty




UL / CSA Listed

CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500 FT
3-FIXTURE KITS								
PART NUMBER	LED3S19-050	LED3S19-100	LED3S19-150	LED3S19-200	LED3S19-250	LED3S19-300	LED3S19-400	LED3S19-500
MSRP	\$2,228	\$2,316	\$2,412	\$2,508	\$2,596	\$2,713	\$2,924	\$3,240
6-FIXTURE KITS								
PART NUMBER	LED6S19-050	LED6S19-100	LED6S19-150	LED6S19-200	LED6S19-250	LED6S19-300	LED6S19-400	LED6S19-500
MSRP	\$4,038	\$4,142	\$4,248	\$4,355	\$4,474	\$4,596	\$4,789	\$4,885

**Product Notes:**

1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. Fixtures are daisy-chained together for easy installation.
3. Quick disconnect is included on main power cord.
4. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
5. Universal Lighting available for non-Kasco units. Contact Kasco for details.
6. When adding a Stainless Steel LED light kit to a 2, 3, and 5HP surface aerator, be sure to also order a 3-light kit adapter or 6-light kit adapter. See page 67.
7. S19 3-fixture kits must use the 3HP and 5HP surface aerator 3-piece sectional float.



# RGBW40 LED

## DELUXE DMX LIGHTING SYSTEM

- Includes fixtures, brackets, power cord with quick disconnect, and control panel
- 2-, 3-, and 4-fixture kits available in multiple power cord lengths
- Runs on 120Vac power



36 Pre-programmed Colors & DMX controllable



Durable Stainless Steel Fixtures for Watertight Operation



40 Watts and 2,376 Lumens Per Fixture



5-Year Warranty



UL / CSA Listed

### WI-FI ENABLED PACKAGES

Use the touchpad inside the panel or download the app\* on your mobile device to control color, sequencing patterns, and power.

### PUSH-BUTTON PACKAGES

Use the push-button controller inside the panel or included short-range remote to cycle through color, sequencing patterns, and power.

CONTROL OPTION	MODEL	CORD LENGTH						
		100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500 FT
2-FIXTURE KITS								
Wi-Fi	RGBW2SW40	\$6,479	\$6,706	\$6,900	\$7,116	\$7,344	\$7,764	\$8,196
Push-Button	RGBW2SL40							
3-FIXTURE KITS								
Wi-Fi	RGBW3SW40	\$7,865	\$8,093	\$8,287	\$8,503	\$8,719	\$9,151	\$9,583
Push-Button	RGBW3SL40							
4-FIXTURE KITS								
Wi-Fi	RGBW4SW40	\$9,353	\$9,580	\$9,775	\$9,991	\$10,207	\$11,575	\$12,243
Push-Button	RGBW4SL40							

\*See manual for information on the app needed for the Wi-Fi enabled packages.

Product Notes:

1. See Lighting Selection Guide on page 23 for lighting recommendations per HP.
2. Part number is the model combined with cord length (ex. RGBW2SW40-100).
3. Fixtures are daisy-chained together for easy installation.
4. Quick disconnect is included on main power cord.
5. Protective cord sleeving included on each fixture. 3 ft. of sleeving included on main power cord(s).
6. Wi-Fi models feature long-range operation.
7. RGBW40 3-fixture kits must use the 3HP and 5HP surface aerator 3-piece sectional float.