

3/4HP & 1HP

J SERIES FOUNTAINS

- 120V and 208-240V, single phase options
- 1-piece float blends in with water's surface and is easy to install
- Composite bottom screen helps prevent clogging
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included*

Shallow Operating
Depths**Lighting Packages
Available

2-Year Warranty

ETL Listed to UL
& CSA Standards

HP	CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
120V, SINGLE PHASE PACKAGES									
3/4	PART NUMBER	3400JF050	3400JF100	3400JF150	3400JF200	-	-	-	-
	MSRP	\$2,116	\$2,309	\$2,910	\$3,179	-	-	-	-
1	PART NUMBER	4400JF050	4400JF100	4400JF150	4400JF200	-	-	-	-
	MSRP	\$2,550	\$3,147	\$3,733	\$4,086	-	-	-	-
208-240V, SINGLE PHASE PACKAGES									
3/4	PART NUMBER	3400HJF050	3400HJF100	3400HJF150	3400HJF200	3400HJF250	3400HJF300	3400HJF400	3400HJF500
	MSRP	\$4,245	\$4,408	\$5,186	\$5,433	\$5,543	\$5,672	\$6,266	Inquire
1	PART NUMBER	4400HJF050	4400HJF100	4400HJF150	4400HJF200	4400HJF250	4400HJF300	4400HJF400	4400HJF500
	MSRP	\$4,770	\$4,935	\$5,766	\$6,029	\$6,294	\$6,424	\$6,562	Inquire

*Packages come with 4 twist-and-lock nozzles (Cypress, Linden, Sequoia, and Birch). The Willow pattern is achieved by operating the fountain without a nozzle.

**3/4HP units operate in as little as 17.5 in. of water. 1HP units operate in as little as 19 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. 3/4 and 1HP, 120V single phase options include C-25 control panel.
3. 3/4 and 1HP, 208-240V single phase options include C-85 control panel.



NEVER enter the water with
electrical equipment connected
and / or in operation.

2HP & 3HP

J SERIES FOUNTAINS

- 208-240V, single and three phase options
- 1-piece float blends in with water's surface and is easy to install
- Stainless steel components provide increased performance and longevity
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included*

Shallow Operating
Depths**Lighting Packages
Available3-Year Warranty - 2HP Units***
5-Year Warranty - 3HP UnitsETL Listed to UL
& CSA Standards

HP	CORD LENGTH	50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES									
2	PART NUMBER	8400JF050	8400JF100	8400JF150	8400JF200	8400JF250	8400JF300	8400JF400	8400JF500
	MSRP	\$6,293	\$6,865	\$7,004	\$7,193	\$7,415	\$8,444	\$12,452	Inquire
3	PART NUMBER	3.1JF050	3.1JF100	3.1JF150	3.1JF200	3.1JF250	3.1JF300	3.1JF400	3.1JF500
	MSRP	\$7,422	\$7,935	\$8,124	\$8,883	\$9,508	\$9,891	\$12,782	Inquire
208-240V, THREE PHASE PACKAGES									
2	PART NUMBER	2.3JF050	2.3JF100	2.3JF150	2.3JF200	2.3JF250	2.3JF300	2.3JF400	2.3JF500
	MSRP	\$10,767	\$11,062	\$11,426	\$11,745	\$12,491	\$13,083	\$13,849	Inquire
3	PART NUMBER	3.3JF050	3.3JF100	3.3JF150	3.3JF200	3.3JF250	3.3JF300	3.3JF400	3.3JF500
	MSRP	\$11,181	\$11,474	\$11,841	\$12,498	\$12,905	\$14,404	\$15,486	Inquire

*Packages include 5 twist-and-lock nozzles (Balsam, Linden, Birch, Spruce, and Redwood).

**2HP units operate in as little as 20 in. of water. 3HP units operate in as little as 24 in. of water.

***Extended warranty available on 2HP units.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. 2 and 3HP, single phase units utilize stainless steel top and bottom screens, and composite motor top and legs.
3. 2 and 3HP, three phase units utilize stainless steel top and bottom screens, motor top, legs, and stub cord protective sleeving.
4. 2HP, single phase options include C-85 control panel. 3HP, single phase options include C-95 control panel.
5. 2 and 3HP, three phase units include CF-3235 control panel.
6. 460-480V, three phase options available for special order in approved locations only. Contact Kasco for details.



NEVER enter the water with
electrical equipment connected
and / or in operation.

5HP & 7.5HP

J SERIES FOUNTAINS

- 208-240V, 5HP available as single and three phase options
- 208-240V, 7.5HP available as three phase only
- 1-piece float blends in with water's surface and is easy to install
- Stainless steel components provide increased performance and longevity
- Premium Nozzles available separately (see pages 16-17)
- Manage from shore with included human-rated, GFCI-protected control panel



5 Patterns Included*



Shallow Operating Depths**



Lighting Packages Available



5-Year Warranty



ETL Listed to UL & CSA Standards

HP	CORD LENGTH	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES								
5	PART NUMBER	5.1JF100	5.1JF150	5.1JF200	5.1JF250	5.1JF300	5.1JF400	5.1JF500
	MSRP	\$9,285	\$10,372	\$11,180	\$12,694	\$15,161	\$16,402	Inquire
208-240V, THREE PHASE PACKAGES								
5	PART NUMBER	5.3JF100	5.3JF150	5.3JF200	5.3JF250	5.3JF300	5.3JF400	5.3JF500
	MSRP	\$11,948	\$12,699	\$13,574	\$14,052	\$17,406	\$18,698	Inquire
7.5	PART NUMBER	7.3JF100	7.3JF150	7.3JF200	7.3JF250	7.3JF300	7.3JF400	7.3JF500
	MSRP	\$12,254	\$13,272	\$13,922	\$16,047	\$17,252	\$20,251	Inquire

*Packages include 5 twist-and-lock nozzles (Balsam, Linden, Birch, Spruce, and Redwood).

**5HP units operate in as little as 26 in. of water. 7.5HP units operate in as little as 28 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. All 5 and 7.5HP units utilize stainless steel top and bottom screens, motor top, legs, and protective stub cord sleeving.
3. 5HP, single phase units include C-95 control panel. 5HP, three phase units include CF-3235 control panel.
4. 7.5HP, three phase units include CF-3075 control panel.
5. 460-480V, three phase options available for special order in approved locations only. Contact Kasco for details.



NEVER enter the water with electrical equipment connected and / or in operation.

PREMIUM NOZZLES

FOR J SERIES FOUNTAINS

Further define your J Series experience with a Premium Nozzle, available for all HP sizes. Purchased separately, Kasco Premium Nozzles generate crisp and distinct streams of water, delivering dramatic and captivating displays.



Fern



Available for All
J Series Fountains



4 Pattern Choices for
3/4 & 1HP Units



6 Pattern Choices for
2, 3, 5, & 7.5HP Units



Twist-and-lock
Installation



Purchased
Separately



Mighty Oak



Magnolia



Mahogany



Madrone



Palm

PATTERN	3/4 & 1HP PART NUMBERS & DIMENSIONS (H x W) (FT)				2, 3, 5, & 7.5HP PART NUMBERS & DIMENSIONS (H x W) (FT)					
	SINGLE PHASE									
	PART #	3/4HP	1HP	MSRP	PART #	2HP	3HP	5HP	7.5HP	MSRP
Mighty Oak	431335K	10 x 24	13 x 34	\$75	841335K	14.5 x 40	19.5 x 51	24.5 x 58	-	\$325
Magnolia	431325K	9 x 29	11.5 x 37	\$75	841325K	14 x 35	18 x 60	23.5 x 72	-	\$325
Mahogany	431345K	11.5 x 28	14 x 34	\$75	841345K	12 x 43	19 x 48	28 x 64	-	\$325
Madrone	431330K	11.5 x 28	14 x 35	\$75	841330K	15 x 43	20 x 59	24 x 70	-	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	-	\$325
Fern	-	-	-	-	841315K	12 x 36	16 x 54	23 x 68	-	\$325
THREE PHASE										
Mighty Oak	-	-	-	-	841335K	14.5 x 40	19.5 x 51	24.5 x 58	27 x 60	\$325
Magnolia	-	-	-	-	841325K	13.5 x 40	18 x 60	23.5 x 72	26 x 80	\$325
Mahogany	-	-	-	-	841345K	14.5 x 35.5	20 x 47	25 x 55	29 x 72	\$325
Madrone	-	-	-	-	841330K	15 x 43	20 x 51	25 x 57	26 x 75	\$325
Palm	-	-	-	-	841320K	12 x 26	16 x 36	20.5 x 40	22 x 42	\$325
Fern	-	-	-	-	841315K	12 x 36	19 x 53	23 x 59	24 x 66	\$325