

MOVING WATER FORWARD, SINCE 1968

2024 CATALOG

50HZ RETAIL

kascomarine.com

Left & Cover: EJ Series Fountain with New Fern Premium Nozzle

MOVING WATER FORWARD

At Kasco, we help people realize the full potential of the water in their world. Our products are the most efficient and effective solutions for improving, protecting, and beautifying water.

OUR PEOPLE MAKE KASCO THE BEST IN THE BUSINESS

Superior customer service is in our DNA. From design and development to delivery and support, we provide an unwavering commitment to our customers.

FROM THE FACTORY

Here at Kasco's home facility in Wisconsin, things are feeling "normal" for the first time since 2019. Supply chains are relatively stable, and our warehouse is stocked with raw materials to build the equipment our customers rely on to move their water forward. This stability allows our team to get back to what they do best: seeking opportunities to better meet the needs of our end users and distribution partners.

After two years of focusing on sourcing and qualification of raw materials, our engineering team has turned their attention back to driving improvements in our products. This means ongoing quality improvements to existing products and renewed focus on new product development. These are the things that make our growing team of engineers most happy and bring the most value to users and servicers of our equipment.

After a full year of production in the newly expanded factory, our operations team is working on the next round of improvements. 2023 marked a return to the fast fulfillment and ship times you have come to expect from Kasco, and we look to get even better in 2024.

Our marketing team continues to develop new tools, captivating imagery, and educational content to support our distributors and product owners.



The sales team has eagerly returned to their full schedule of industry conferences, conventions, and customer visits. We have grown our sales and customer service teams so we can continue providing the best support in the industry. If you have questions about our products or a challenging application, please contact us! Our knowledgeable team has a wide range of experiences in lakes, ponds, marinas, and beyond.

As customers continue to face economic pressure from inflation, we will continue to find ways to provide more value for each hard-earned dollar they spend. From breakthrough product innovations to our industry-leading ship times and unparalleled customer support, we work every day to make it easy for you to choose Kasco.

Thank you for making us your partner in Moving Water Forward!

Sincerely, Your Partners at Kasco "As always, the staff at Kasco has been great to work with – from order placement to repairs, they have the answers you're looking for with quick turnaround to boot! Keep up the good work."

MIKE

Left - EVFX Fountain Right - EJ Series Fountain with Linden Pattern

TABLE OF CONTENTS

Moving Water Forward	2
Why Kasco	3
A Note from the Factory	4
Table of Contents	7
Fountains	
EJ Series	8
EJ Series Premium Nozzles	. 12
EVFX Series	. 14
WaterGlow Lighting	. 18
Composite LED	. 19
AquatiClear [™] Circulators	. 20
Surface Aerators	. 24
RobustAire™ Diffused Aeration Systems	. 28
TeichAire Compressors	. 36
Unit Mounting Options	. 37
Pond Probiotics	. 38
De-icers	. 40
Warranty, Product Return & Repair	. 42
Shipping	. 43
Distributor Tools	. 43

EJ Series Fountain with Linden Pattern

EJ SERIES

Elegant Fountain Displays

Kasco EJ Series Fountains offer dramatic, aesthetically pleasing displays at the best value on the market. Designed with both beauty and function in mind, each package includes multiple twist-and-lock nozzles at no extra charge, allowing you to choose patterns ranging from attention-demanding geysers to elegant 3-tier displays.

Packages include motor unit, 15m mooring ropes, multiple nozzles, and power cord. Available in 1/2 - 5HP sizes and single and three phase options to fit virtually all applications



2HP per 4,000m² recommended for proper aeration.



EJ SERIES FOUNTAINS

- 1/2, 3/4, 1, 2, & 3HP available as single phase •
- 2, 3, & 5HP also available as three phase
- Includes an impeller guard and bottom screen to prevent clogging
- Stub cord includes quick disconnect and stainless steel strain relief •
- Customer or installer adds additional length power cord as needed •



Available*

EI FOUNTAIN PACKAGES

Available

Depths**

Package

Kasco.

NEVER enter the water

with electrical equipment

connected and / or

in operation.

CORD LENGTH (m) PART # ΗP VOLT PHASE 2400EJF000 1/2 220 1 Stub Cord (1m) 2400EJF010 1/2 220 1 10 Stub Cord (1m) 3400EJF000 3/4 220 1 3400EJF010 3/4 220 1 10 4400EIF000 1 220 1 Stub Cord (1m) 4400EJF010 1 220 1 10 2 Stub Cord (1m) 8400EJF000 220 1 2.3EHJF000 2 380 3 Stub Cord (1m) 3 Stub Cord (1m) 3.1EJF000 220 1 3.3EHJF000 3 380 3 Stub Cord (1m) 5.3EHJF000 5 380 3 Stub Cord (1m)

*Packages come with 4 twist-n-lock nozzles. To achieve the Willow pattern, operate fountain without nozzle.

** 1/2HP units operate in as little as 38cm of water. 3/4HP units operate in as little as 45cm of water. 1HP units operate in as little as 49cm of water. 2HP units operate in as little as 51cm of water. 3HP units operate in as little as 61cm of water. 5HP units operate in as little as 67cm of water.

Product Notes:

1. Custom cord lengths available. Contact Kasco for details.

2. Food grade mineral oil option available. Contact Kasco for pricing.

PATTERN DIMENSIONS

НР	PATTERN DIMENSIONS (H X W) (m)							
nr	SEQUOIA	CYPRESS	WILLOW	LINDEN	BIRCH	BALSAM	REDWOOD	SPRUCE
1/2	3.2 x 2.4	1.8 x 4.5	1.6 x 5.2	2.3 x 6.7	1.7 x 1.5	-	-	-
3/4	3.5 x 2.4	2.1 x 5.5	1.9 x 5.8	2.7 x 8.5	2.1 x 2	-	-	-
1	-	-	-	3.4 x 9.4	2.3 x 2.4	2.9 x 7.3	4.9 x 1.5	4.7 x 2.1
2	-	-	-	5.2 x 10.7	3.5 x 3	4.9 x 9.4	6.9 x 1.8	6.6 x 2.7
3	-	-	-	5.5 x 11.9	4.9 x 2.7	3.8 x 7.9	7.2 x 1.8	7 x 2.7
5	-	-	-	6.2 x 12.2	5.8 x 3	4.7 x 9.4	8.1 x 1.8	7.9 x 2.7


















PREMIUM NOZZLES J SERIES FOUNTAINS

Further define your J Series experience with a Premium Nozzle, now available for all HP sizes. Purchased separately, Kasco Premium Nozzles provide crisp and distinct streams of water for dramatic and attention-demanding displays.



NEW Fern Nozzle



Available for ALL EJ Series Fountains



4 Pattern Choices for 1/2 & 3/4HP Units



6 Pattern Choices for 1, 2, 3, & 5HP Units





Twist-and-Lock Installation with Included Tool

Purchased Separately













Mighty Oak

Magnolia

Mahogany

Madrone

Palm

Fern - NEW!

PATTERN		& 3/4HP PART N ENSIONS (H x W					RT NUMBERS & DIMENSIONS (H x W) (m)		
	PART #	1/2HP	3/4HP	PART #	1HP	2HP	3HP	5НР	
Mighty Oak	431335K	2.1 x 5.3	2.9 x 7.9	841335K	3.4 x 10.4	5 x 14.6	5.9 x 17.1	6.9 x 18.3	
Magnolia	431325K	2 x 6.1	2.6 x 8.8	841325K	2.9 x 10.1	4.4 x 15.2	5.3 x 17.1	6.2 x 22.6	
Mahogany	431345K	2.4 x 5.5	3.2 x 7.9	841345K	3.2 x 9.1	5 x 13.4	5.9 x 17.1	6.9 x 18.9	
Madrone	431330K	2.4 x 6.1	3.4 x 8.5	841330K	3.4 x 9.4	5 x 14.6	6.1 x 17.1	7 x 18.9	
Palm	-	-	-	841320K	2.6 x 6.1	3.8 x 8.5	4.7 x 10.1	5.2 x 10.4	
Fern - NEW!	-	-	-	841315K	2.4 x 8.5	4 x 10.4	4.9 x 15.8	6.1 x 19.8	













FERN - NEW! Best in Narrow Ponds

EVFX SERIES

The Best of Beauty and Aeration

Kasco EVFX Series is the choice for an elegant display with superior aeration benefits. These high-flow units are efficient, easy to install and operate, and are ideal for many applications.

Packages include motor unit, float, 15m mooring ropes, and power cord. Available in 1/2 - 3HP sizes and single and three phase options to fit virtually any application.

1.5HP per 4,000m² recommended for proper application.



EVFX FOUNTAINS

- 1/2, 3/4, 1, & 3HP available as single phase
- 3HP also available as three phase
- Includes bottom screen to prevent clogging
- · Stub cord includes quick disconnect and stainless steel strain relief
- Customer or installer adds additional length power cord as needed





Shallow Operating Depths*



Optional Lighting Package





CE Marked

PART #	НР	VOLT	PHASE	CORD LENGTH (M)
2400EVFX000	1/2	220	1	Stub Cord (1m)
2400EVFX010	1/2	220	1	10
3400EVFX000	3/4	220	1	Stub Cord (1m)
3400EVFX010	3/4	220	1	10
4400EVFX000	1	220	1	Stub Cord (1m)
4400EVFX010	1	220	1	10
3.1EVFX000	3	220	1	Stub Cord (1m)
3.3EHVFX000	3	380	3	Stub Cord (1m)

*1/2HP can operate in 38cm of water. 3/4HP can operate in 45cm of water. 1HP can operate in 49cm of water. 3HP can operate in 61cm of water. Product Notes:

1. Custom cord lengths available. Contact Kasco for details.

2. Food grade mineral oil option available. Contact Kasco for pricing.







WATERGLOW LIGHTING

Add Beauty to Your Evening Displays

Kasco WaterGlow Lighting will dramatically illuminate your fountain or surface aerator throughout the evening. Available in composite housings and with several color options, these versatile LED lights are a perfect addition to your display.

Adds breathtaking beauty for extended enjoyment of your water feature. Several fixture configurations to suit a variety of applications.

EJ Series Fountain with Mahogany Premium Nozzle & Composite LED Light Kit



Energy efficient with bright technology.

COMPOSITE NON-CE MARKED

These LED Lighting Systems provide classic elegance and include 4 colored lenses to create the perfect illuminated display.

- Available for EJ Fountains, EVFX Fountains, and surface aerators
- Includes light fixtures, snap-on clips, stub cord, colored lenses, lens caps, and waterproof disconnect caps
- 3- and 6-fixture kits available





Displays White and Includes Red, Green, Blue, & Amber Lenses



Durable Composite Fixtures for Watertight Operation



11 Watts and 910 Lumens Per Fixture



PART #	AVAILABLE FOR	CORD LENGTH (m)
LED3C11-000E	1/2 - 1HP units	Stub Cord (1m)
LED6C11-000E	2 - 5HP units	Stub Cord (1m)

LIGHT KIT ACCESSORIES

PART #	DESCRIPTION
840303	3-light kit adapter for 3-piece sectional floats
840306	6-light kit adapter for 3-piece sectional floats

AQUATICLEAR™

Clog-Resistant Waterfront Management

AquatiClear[™] by Kasco is a clog-resistant circulator that keeps water near docks, canals, and shorelines free of floating debris and foul odors. Utilizing Clean Current Technology[™] (patent pending), AquatiClear features a prop guard with smooth, rounded tines that allow debris to slip by instead of collect around the unit, meaning longer continuous operation and less maintenance.



Packages include motor unit and power cord. Mounting options available.

Crown-like prop guard with smooth, rounded tines decreases clogging from floating algae and debris. Versatile mounting options allow AquatiClear to direct the flow of water to address specific areas.



unun hijen

AFTER

Clears Shorelines of Floating Debris

Debris Slips by Instead of Clogging





Kasco AquatiClear Circulators provide a strong, directional flow of water to clean and clear waterfront property.

AQUATICLEAR[™] CLOG-RESISTANT CIRCULATOR

- 220V, single phase options
- · Marine-grade stainless steel for saltwater / brackish water compatibility
- Unit only, Horizontal Float, and Universal Mount options available
- Universal Mount Kit packages include Simple Swivel bracket (patent pending) allowing easy rotation of the unit to direct flow of water
- Shallow Water Install Kit allows AquatiClear to be installed in shallower water without creating an audible vortex, or suction sound. Purchased separately.





1/2 and 3/4HP Available

Crown-like Prop Guard Decreases Clogging from Debris



Clean Current Technology™ (patent pending) Reduces Clogs





Kasco.

2-Year Warranty

CE Marked

PART #	НР	VOLT	PHASE	CORD LENGTH (m)		
UNIT ONLY PACKAGES - "EC" (NO MOUNT)						
2400EC000	1/2	220	1	Stub Cord (1m)		
2400EC010	1/2	220	1	10		
3400EC000	3/4	220	1	Stub Cord (1m)		
3400EC010	3/4	220	1	10		
		IZONTAL FLOAT PACKAGES - "	ECFM"			
2400ECFM000	1/2	220	1	Stub Cord (1m)		
2400ECFM010	1/2	220	1	10		
3400ECFM000	3/4	220	1	Stub Cord (1m)		
3400ECFM010	3/4	220	1	10		
	UNIVERSAL MOUNT F	PACKAGES - "ECDM" (CUSTOM	ER MUST SUPPLY PIPE)			
2400ECDM000	1/2	220	1	Stub Cord (1m)		
2400ECDM010	1/2	220	1	10		
3400ECDM000	3/4	220	1	Stub Cord (1m)		
3400ECDM010	3/4	220	1	10		

Product Notes:

1. If AquatiClear is installed less then .5m. below the surface, a Shallow Water Install Kit is recommended. See page 23.

2. Do not install too close to the bottom of water body. Improper placement can disturb bottom sediment. Check local regulations for guidelines and restrictions.

3. Custom cord lengths available. Contact Kasco for details.

4. Food grade mineral oil option available. Contact Kasco for pricing.

AQUATICLEAR ACCESSORIES


PART #	DESCRIPTION
243609	Shallow Water Install Kit



AquatiClear Mounting Options

Universal Mount

Mount AquatiClear to a dock or similar structure and easily adjust its angle and depth. Adjust rotation with the Simple Swivel bracket (patent pending). Mount includes a lifetime warranty. Optional U-bolt Kit allows mount installation without drilling into structure.



SIMPLE SWIVEL BRACKET

Rotate AquatiClear to direct flow of water in desired direction. Included with Universal Mount.

U-BOLT KIT


U-bolt Kit allows Mount Kit installation without drilling. Purchased separately. See page 37.

SHALLOW WATER INSTALL KIT

Allows for installation in shallow applications without loud whirlpool noise at the surface. Purchased separately. See page 22.

Horizontal Float

Secure AquatiClear on the surface with three ropes and tie-down loops. Three angles of orientation moves water in desired direction. Float includes a 3-year warranty.



EASILY SECURE & ADJUST Secure AquatiClear at the surface with high-strength tie-down loops and several adjustment options.



AquatiClear by Kasco is the only circulator on the market that runs continuously without the need to clean out clogs from weeds and other debris.

SURFACE AERATORS

High Oxygen Transfer at Extreme Value

Kasco Surface Aerators push high volumes of water into the air. This process increases the overall health of your water and keeps it thoroughly mixed. Introducing oxygen and water movement breaks up stratification, eliminates odor, discourages algae growth, and promotes a healthy aquatic environment.

Packages include motor unit, 15m mooring ropes, and power cord. Available in 1/2 - 3HP, single or three phase options to fit a variety of applications.



Proven aeration performance for continuous, supplemental, or emergency use.



SINGLE PHASE

SURFACE AERATOR

Optional Lighting

Packages

- 1/2, 3/4, 1, 2, & 3HP available as single phase
- 2 and 3HP available as three phase
- BTM SCR models include a bottom screen to prevent clogging

Shallow Operating

Depths*

Stub cord includes quick disconnect and strain relief







MODEL	НР	VOLT	PHASE	CORD LENGTH (m)
2400EAF000	1/2	220	1	Stub Cord (1m)
2400EAF010	1/2	220	1	10
2400EAF000 (BTM SCR)	1/2	220	1	Stub Cord (1m)
2400EAF010 (BTM SCR)	1/2	220	1	10
3400EAF000	3/4	220	1	Stub Cord (1m)
3400EAF010	3/4	220	1	10
3400EAF000 (BTM SCR)	3/4	220	1	Stub Cord (1m)
3400EAF010 (BTM SCR)	3/4	220	1	10
4400EAF000	1	220	1	Stub Cord (1m)
4400EAF010	1	220	1	10
4400EAF000 (BTM SCR)	1	220	1	Stub Cord (1m)
4400EAF010 (BTM SCR)	1	220	1	10
8400EAF000	2	220	1	Stub Cord (1m)
8400EAF000 (BTM SCR)	2	220	1	Stub Cord (1m)
2.3EHAF000	2	380	3	Stub Cord (1m)
2.3EHAF000 (BTM SCR)	2	380	3	Stub Cord (1m)
3.1EAF000	3	220	1	Stub Cord (1m)
3.1EAF000 (BTM SCR)	3	220	1	Stub Cord (1m)
3.3EHAF000	3	380	3	Stub Cord (1m)
3.3EHAF000 (BTM SCR)	3	380	3	Stub Cord (1m)

Pair with Pond Probiotics

for Maximized Results

*1/2HP can operate in 38cm of water. 3/4HP can operate in 45cm of water. 1HP can operate in 49cm of water. 2HP can operate in 51cm of water. 3HP can operate in 61cm of water.

Product Notes:

1. Custom cord lengths available. Contact Kasco for details.

2. Food grade mineral oil option available. Contact Kasco for pricing.







ROBUSTAIRE[™] DIFFUSED AERATION

Move & Aerate Large Volumes of Water

Restore your water body's natural ecosystem by adding beneficial water mixing and movement with RobustAire[™]. A shore-mounted compressor pushes air through self-weighted lines to a dual-loop diffuser at the bottom of the pond, lake, or tank. This induces oxygen transfer and beneficial mixing to prevent weed overgrowth, algae, unpleasant odors, fish kills, and other issues.

Packages include dual loop diffuser assembly, compressor, and compressor mounting option.

0

 \mathbf{P}

Large and Medium Cabinet Systems revolutionize air movement for superior cooling and less maintenance.

Kasco

Dual-loop diffuser assembly includes built-in strain relief and is self-weighted to land right side up every time.



11-44% More Efficient than Competition (3rd-party tested)

Cabinet Design Ensures Quiet Operation



LIFETIME Warranty on Diffuser





EASY COMPRESSOR MAINTENANCE

A visual maintenance indicator on the air filter turns red when cleaning is needed. Large air filters allow for easier, less frequent cleaning.

ROBUSTAIRETM

STANDARD CABINET SYSTEMS

- Dual-loop diffuser provides high volumes of upward water movement
- · Base mount, post mount, or no-cabinet compressor mounting options
- · Large air filters allow for less frequent maintenance
- · Visual maintenance indicators quickly alerts when air filters need attention
- Lifetime warranty on diffuser assembly and cabinet





Base Mount, Post Mount, and No-Cabinet Option

Internal Filter Indicator for Easy Status Checks



No Electricity in the Water Makes it Safe for Swimming



Base Mount Cabinet



LIFETIME Warranty - Diffuser & Cabinet 15-Year Warranty - Tubing 2-Year Warranty - Compressor

SYSTEMS INCLUDE	NO CABINET	POST MOUNT CABINET	BASE MOUNT CABINET	REMOTE MANIFOLD SYSTEMS
	220V	220V	220V	
SYSTEM 1 (1) Diffuser Assembly (1) 1/4HP Compressor	RAE1-NC	RAE1-PM	RAE1	
SYSTEM 2 (2) Diffuser Assemblies (1) 1/2HP Compressor	RAE2-NC	RAE2-PM	RAE2	Allows remote installation of cabinet, compressors, and valves. Systems include remote valve manifold and valve box.
SYSTEM 3 (3) Diffuser Assemblies (1) 1/2HP Compressor	RAE3-NC	RAE3-PM	RAE3	

Product Notes:

- 1. RAE systems do not include tubing. Customer must source tubing or purchase separately from Kasco
- 2. For tubing lengths over 100m for one diffuser run, use 5/8 in. (15.9mm) SureSinkTM tubing for that diffuser run.
- 3. Remote Manifold systems are available for long distance applications. These systems should be purchased when a power source is not available at the water's edge.
- 4. No-Cabinet systems (RAE-NC) include universal compressor mounting kit with cooling fan.
- 5. TeichAire Compressor details are included on page 32.

ROBUSTAIRE[™]

MEDIUM SYSTEMS WITH AIREGUARD CABINET TECHNOLOGY

- Dual-loop diffuser provides high volumes of upward water movement
- Includes 4 6 diffuser assemblies, 2 compressors, and medium cabinet
- SureSink tubing is not included
- Ideal for mid-sized ponds and lakes





Medium Cabinet with AireGuard Cabinet Technology



External Filter Indicator for Easy Status Checks



No Electricity in the Water Makes it Safe for Swimming



Lifetime Warranty - Diffuser & Cabinet 15-Year Warranty - Tubing 2-Year Warranty - Compressor

SYSTEMS INCLUDE	MEDIUM CABINET	REMOTE MANIFOLD SYSTEMS
	220V	
SYSTEM 4 (4) Diffuser Assemblies (2) 1/2HP Compressors NEW Medium Cabinet	RAE4	
SYSTEM 5 (5) Diffuser Assemblies (2) 1/2HP Compressors NEW Medium Cabinet	RAE5	Allows remote installation of cabinet, compressors, and valves. Systems include remote valve manifold and valve box.
SYSTEM 6 (6) Diffuser Assemblies (2) 1/2HP Compressors NEW Medium Cabinet	RAE6	

ROBUSTAIRE[™]

LARGE SYSTEMS WITH AIREGUARD CABINET TECHNOLOGY

- Dual-loop diffuser provides high volumes of upward water movement
- Includes 7 12 diffuser assemblies, 3 4 compressors, and large cabinet
- Tubing not included
- Ideal for large recreational or industrial lakes



Large Cabinet with

AireGuard Cabinet Technology

Status Checks

External Gauges for Easy



No Electricity in the Water Makes it Safe for Swimming





Lifetime Warranty - Diffuser & Cabinet 15-Year Warranty - Tubing 2-Year Warranty - Compressor

SYSTEMS INCLUDE	LARGE CABINET	REMOTE MANIFOLD SYSTEMS		
	220V			
SYSTEM 7 (7) Diffuser Assemblies (3) 1/2HP Compressors NEW Large Cabinet	RAE7			
SYSTEM 8 (8) Diffuser Assemblies (3) 1/2HP Compressors NEW Large Cabinet	RAE8			
SYSTEM 9 (9) Diffuser Assemblies (3) 1/2HP Compressors NEW Large Cabinet	RAE9	Allows remote installation of cabinet, compressors, and valves. Systems include		
SYSTEM 10 (10) Diffuser Assemblies (4) 1/2HP Compressors NEW Large Cabinet	RAE10	remote valve manifold and valve box.		
SYSTEM 11 (11) Diffuser Assemblies (4) 1/2HP Compressors NEW Large Cabinet	RAE11			
SYSTEM 12 (12) Diffuser Assemblies (4) 1/2HP Compressors NEW Large Cabinet	RAE12			

INSIDE AIREGUARD CABINET TECHNOLOGY

AireGuard Cabinet Technology tackles the biggest stressors on compressor operation: heat and dust.



Air is passed through an external filter removing excess dust and debris.



Powerful fans pull clean air through the compressor allowing it to stay cooler and operate efficiently.

Dual-action filtering and air movement safeguards the entire system.

Cabinet interiors stay cleaner and withstand the toughest outdoor conditions. RobustAire™ Large Cabinet with AireGuard Cabinet Technology



Compressor Cabinet Details

BASE MOUNT CABINET

Accommodates 1 compressor and supplies air to 1 - 3 diffuser assemblies. Mount on shore, away from areas that may flood.



MEDIUM CABINET WITH AIREGUARD CABINET TECHNOLOGY

Accommodates 2 compressors and supplies air to 4 - 6 diffuser assemblies. Mount on shore, away from areas that may flood.



POST MOUNT CABINET

Accommodates 1 compressor and supplies air to 1 - 3 diffuser assemblies. Attach cabinet to post or vertical wall.



LARGE CABINET WITH AIREGUARD CABINET TECHNOLOGY

Accommodates 3 - 4 compressors and supplies air to 7 - 12 diffuser assemblies. Mount on shore, away from areas that may flood.




NO-CABINET

Accommodates 1 compressor and supplies air to 1 - 3 diffuser assemblies. Mount in a clean, dry location with protection from outdoor conditions.



REMOTE MANIFOLD SYSTEMS

Allows remote installation of cabinet, compressors, and valves. Systems include remote valve manifold and valve box.



FLOW RATE CHART

DEPTH OF DIFFUSER (m)	КРА	FLOW (M ³ PER 24 HOURS)
2	19.4	5,053
3	26.9	7,580
4	35.8	11,369
5	44.8	17,054
6	62.7	28,821
7	71.7	37,467
8	80.6	48,708
9	89.6	63,320

ROBUSTAIRE ACCESSORIES

PART #	DESCRIPTION	INCLUDES
771014	Air Filter Paper Element, Compressor (KM-60 / KM-120)	-
771018	Air Filter Paper Element, Compressor (KM-200)	-
772100	RobustAire™ Diffuser Assembly	(1) diffuser assembly, (1) 3/8 in. (9.55mm) barbed fitting, and (1) 5/8 in. (15.9mm) barbed fitting
773380	Weighted Tubing Kit 3/8 in. (9.55mm) (100 ft. roll) (30m)	All necessary fittings for attaching to the compressor, diffuser assembly, and for extending length on tubing runs
773580	Weighted Tubing Kit 5/8 in. (15.9mm) (100 ft. roll) (30m)	All necessary fittings for attaching to the compressor, diffuser assembly, and for extending length on tubing runs
773385	Weighted Tubing Kit 3/8 in. (9.55mm) (500 ft. roll) (152m)	500 ft. (152m) rolls do not include fittings
773585	Weighted Tubing Kit 5/8 in. (15.9mm) (500 ft. roll) (152m)	500 ft. (152m) rolls do not include fittings
773300	3/8 in. (9.55m) Tube Fitting Kit (included with 3/8 in. x 100 ft. tubing kits)	(1) 3/8 in. x 3/8 in. barbed connector, (2) 3/8 in. hose clamps
773500	5/8 in. (15.9mm) Tube Fitting Kit (included with 5/8 in. x 100 ft. tubing kits)	(1) 5/8 in. x 5/8 in. barbed connector, (2) 3/8 in. x 5/8 in. barbed connectors, (2) 5/8 in. hose clamps, (2) 3/8 in. hose clamps



TEICHAIRE COMPRESSORS

- 220V
- Quiet, oil-less piston compressors
- Built for continuous-duty, year-round, large aeration applications

ALL COMPRESSORS INCLUDE:

- Pressure relief valve
- Vibration mounts
- Intake air filter assembly
- Brass hose fittings

- Power cord
- Thermal overload protection
- Ramped internal valve plate allowing for restart under load










1/4, 1/2, & 3/4HP Available

2-Year Warranty

UL & CSA Recognized

PART #	НР	WEIGHT (KG)	AMP @ 0 PSI	AMP @ 20 PSI
КМ-60НС	1/4	7	1.1	1.6
KM-120HC	1/2	9	1.5	2.0
КМ-200НС	3/4	13	3.1	3.7





UNIT MOUNTING OPTIONS

MOUNT KITS

Secure your Kasco unit to a dock, pier, walkway, or other in-water structure. Choose your desired depth, angle, and flow of water to achieve desired results.

Universal Kits

- For 1/2 and 3/4HP units
- Requires 1 in. / 25 DN nominal threaded / unthreaded pipe

Industrial Kits

- For 1/2, 3/4, and 1HP units
- Requires 1.5 in. / 40 DN nominal threaded / unthreaded pipe





U-bolt Kit Prevents Drilling into Structure (Purchased separately)

Simple Swivel Directs Water to Desired Area (Included with kit)



Multiple Angles of Unit Orientation



Simple

Swivel





Suspend your AquatiClear Circulator below the water's surface and safely anchor it to shore. Using stainless steel hardware and components, the float accommodates 1/2 and 3/4HP units.



3 Tie-Down Loops for

Secure Installation



Power Cord Strain **Relief Clip Included**



3 Angles of Unit Orientation





3-Year Warranty

PART #	DESCRIPTION	UNITS COMPATIBLE
243478	Universal Mount with Simple Swivel bracket (patent pending)	1/2 and 3/4HP units
243479	Industrial Mount with Simple Swivel bracket (patent pending)	1/2, 3/4, and 1HP units in harsh conditions
997108K	U-Bolt Kit for Universal and Industrial Kits (allows installation without drilling)	1/2, 3/4, and 1HP units
213001	Horizontal Float with tie-down loops	1/2 and 3/4HP units

* Simple Swivel bracket is patent pending.

Product Notes:

1. For Universal and Industrial Kits, customer-supplied pipe must not exceed 3m.

2. For Universal and Industrial Kits, customer must supply hardware to secure mount.

3. U-bolt Kit (PN: 997108K) available for Universal and Industrial Kits allowing installation without drilling into structure.

POND PROBIOTICS

BENEFICIAL BACTERIA

Pond Probiotics are a safe, non-chemical approach to water quality management and produces a healthy, balanced ecosystem with its highly concentrated, unique blend of naturally occurring bacteria and enzymes. No irrigation restrictions or permit required.



Available as Quick-Dissolving

Powder, Tablets, and

Slow-Releasing Blocks



Simply Toss into Water 13° C or Warmer



Removes Pond Scum and Floating Particles





Eliminates Waste, Dead

Grass, and Foul Odors

Safe for People, Pets, and Livestock

PART #	DESCRIPTION	CONTENTS TREAT
MZ8	(1) 8 oz. WS bag	8 oz. treats 1/2 acre ft.
MZ8C	(40) 8 oz. WS bags (case)	Up to 20 acre ft.
MZ25	25 lb. bag of bulk powder in pail (no WS bags)	Up to 25 acre ft.
MZMP7	Pond Probiotic Muck Pucks - 7 lb. pail with 266 pucks	Up to 10 ft ² per puck
MZMB5	Pond Probiotic Muck Block - (1) 6 lb. block	Up to 6 acre ft.

Product Notes:

1. WS = Water soluble bag

2. One acre foot (1 acre of surface area with 1 ft. of depth) = 325,851 gallons

3. To determine gallons: length (ft.) x width (ft.) x avg. water depth (ft.) x 7.48 = gallons



For small ponds and water gardens. Reapply every 2-3 weeks.

Muck Puck Tablets

BEFORE

AFTER

For small or medium ponds, as spot treatments. Reapply every 2-3 weeks.

Muck Blocks

For medium ponds, large ponds, or feeder streams. Reapply every 30 days.

\circ

Combine Pond Probiotics with a Kasco aeration method for maximum water quality results.

KASCO DE-ICERS

*

THE #1 Selling De-icer in the World

Protect Your Waterfront from Ice Damage

By pulling warmer water up, Kasco De-icers create an opening at the water's surface, keeping boats and docks safe from damaging ice buildup.

Kasco De-icers create more thrust than any other product on the market. More thrust means more open water to better protect your property.

- Offered as 220V
- Includes (2) 6m suspension ropes
- Mount with ropes or Universal or Industrial Mount Kits



1/2, 3/4, & 1HP Available



2-Year Warranty



CE Marked



Universal Mount



Industrial

Mount

Mooring Ropes

(Included)



Available to specialty distribution. Contact Kasco for Details.



WARRANTY PERIODS

EJ SERIES FOUNTAINS

• All HP: 2 years

EVFX FOUNTAINS

• All HP: 2 years

SURFACE AERATORS

All HP: 2 years

WATERGLOW LIGHTING

• Composite LED: 2 years

AQUATICLEAR[™] CIRCULATORS

• All HP: 2 years

ROBUSTAIRE™

- Compressor: 2 years
- Tubing: 15 years
- Diffuser: Lifetime
- Cabinet: Lifetime

"R" (REPLACEMENT) UNITS

• All HP: 2 years

WARRANTY

STANDARD WARRANTY:

Kasco Marine, Inc. warrants products to be free from defects in material or workmanship under normal use and service. This warranty excludes damage to the equipment from improper handling or installation as well as damage caused by environmental factors (examples include but are not limited to: cuts in or crushing of the power cord, damage to mooring lines and ropes, foreign objects causing damage to props or motor shafts, and improper power feeds). The Kasco Marine, Inc. obligation under this warranty is limited to replacing or repairing, free of charge, any defective part within the warranty period.

All units sent back to the factory or authorized repair center should be accompanied by the repair form, found at kascomarine.com. Customer is responsible to pay shipping charges.

WARRANTY IS VOID IF:

- 1. The product is not maintained according to the maintenance recommendations supplied in owner's manual.
- 2. The product is returned for repair without the power cord (cuts in the power cord and field splices are not covered under warranty).
- 3. The unit, control box, or power cord are altered in any way from original shipment.
- 4. The product is not used with a GFCI-protected outlet.
- 5. The product is damaged by unauthorized tampering.
- 6. The sacrificial anode shows significant deterioration.

PRODUCT RETURN & REPAIR

NEW OR UNUSED PRODUCT RETURN:

If an item has not entered the water, it can be returned to Kasco:

- 1. Contact Kasco to receive an RMA number and RMA form.
- 2. Package the item(s) adequately (original packaging preferred) and return to Kasco with completed RMA form and RMA number on the shipping label or written on the box.

IMPORTANT:

- 10% restocking fee will be applied to all returns.
- An item will not be accepted for return if it has been in the water.
- Kasco will not reimburse for product that was damaged during shipment.
- Only new, clean and unused items may be returned for credit.
- Items may not be returned after 6 months from the time of purchase.

REPAIR:

Equipment can be shipped to Kasco or an authorized service center for a repair estimate. Contact us if you'd like to find an authorized repair center near you. Kasco aims to provide a free cost estimate within 48 hours. After customer approval, the repair can be made in just a few days.

- Please include upper pump housing or wire cage for aerators and de-icers.
- Kasco is not responsible for shipping damage from customer to Kasco.
- Do not send floats. Kasco will charge \$90 for float disassembly and cleaning.
- It is the responsibility of the customer to ship and pay freight to Kasco.

SHIPPING

DAMAGED SHIPMENTS:

Please thoroughly inspect incoming shipments prior to accepting. Once a shipment is accepted by the receiver, it is difficult, if not impossible, to get the freight company to pay for damage. If boxes have been damaged, opened, repackaged, a pallet re-strapped, etc., it is best to simply refuse the delivery. This ensures the carrier cannot blame the receiver for the damage and that the shipment gets returned to Kasco. In the unfortunate event of damage or shortage to your order, please notify customer service and make a note on any shipping-related documents. Photos of the packaging and product will also help our customer service team expedite your claim and find the fastest resolution.

FREIGHT QUOTES:

Freight quotes should be viewed as estimates and may vary depending on exact date of shipment. Please email freight quotes to support@kascomarine.com and include the below:

- Complete delivery address
- Method of Transportation Sea Freight, Air Freight or Ground Freight
- Delivery notification contact info

NOTE: Some addresses are extended delivery areas and additional charges may apply.

DISTRIBUTOR TOOLS







ONLINE TRAINING



QUALIFIED LEAD ROUTING



1494 . - · · ·

MOVING WATER FORWARD, SINCE 1968

kascomarine.com | 715.262.4488 | support@kascomarine.com 800 Deere Road, Prescott, WI U.S.A. 54021