

1/2HP, 3/4HP, & 1HP

SURFACE AERATOR

- 120V and 208-240V, single phase options
- 1-piece float blends in with water's surface and is easy to install
- Manage from shore with optional human-rated, GFCI-protected control panel (see page 66)



Lighting Packages Available



Shallow Operating Depths*



2-Year Warranty



ETL Listed to UL & CSA Standards

HP	MODEL	CORD LENGTH									
		25 FT	50 FT	75 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
120V, SINGLE PHASE PACKAGES											
1/2	2400AF	-	\$1,323	-	\$1,508	\$2,112	\$2,363	-	-	-	-
	2400AF (BTM SCR)	-	\$1,583	-	\$1,768	\$2,372	\$2,623	-	-	-	-
	2400A	\$1,056	\$1,094	-	\$1,292	\$1,780	\$1,960	-	-	-	-
3/4	3400AF	-	\$1,446	-	\$1,621	\$2,285	\$2,508	-	-	-	-
	3400AF (BTM SCR)	-	\$1,706	-	\$1,881	\$2,545	\$2,768	-	-	-	-
	3400A	\$1,150	\$1,193	-	\$1,384	\$1,890	\$2,060	-	-	-	-
1	4400AF	-	\$1,702	\$1,814	\$2,284	\$2,921	\$3,350	-	-	-	-
	4400AF (BTM SCR)	-	\$1,962	\$2,074	\$2,544	\$3,181	\$3,610	-	-	-	-
	4400A	\$1,263	\$1,301	\$1,423	\$1,822	\$2,431	\$2,824	-	-	-	-
208-240V, SINGLE PHASE PACKAGES											
3/4	3400HAF	-	\$1,513	-	\$1,658	\$2,251	\$2,451	\$2,666	\$2,818	\$3,329	Inquire
	3400HAF (BTM SCR)	-	\$1,773	-	\$1,918	\$2,511	\$2,711	\$2,926	\$3,078	\$3,589	Inquire
	3400HA	-	\$1,192	-	\$1,383	\$1,954	\$2,157	\$2,482	\$2,594	\$3,138	Inquire
1	4400HAF	-	\$1,726	-	\$1,856	\$2,526	\$2,767	\$2,982	\$3,089	\$3,237	Inquire
	4400HAF (BTM SCR)	-	\$1,986	-	\$2,116	\$2,786	\$3,027	\$3,242	\$3,349	\$3,497	Inquire
	4400HA	-	\$1,349	-	\$1,534	\$2,039	\$2,261	\$2,780	\$2,899	\$3,210	Inquire

*1/2HP units operate in as little as 17.5 in. of water. 3/4HP units operate in as little as 17.5 in. of water. 1HP units operate in as little as 19 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. Part number is the model combined with cord length (ex. 2400AF050).
3. "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
4. "A" models include the motor unit only and do not include a float or bottom screen.
5. The correct control panel will depend on the voltage of the unit and if lights are being used. See page 66.



NEVER enter the water with electrical equipment connected and / or in operation.

2HP, 3HP, & 5HP

SURFACE AERATOR

- 208-240V, single and three phase options
- Control panels are optional except for three phase non-"U" models
- Control panels feature human-rated GFCI-protection (see page 66)



Lighting Packages Available



Shallow Operating Depths*



3-Year Warranty**



ETL Listed to UL & CSA Standards

FLOAT AND BOTTOM SCREEN MODELS (CONTROL PANEL OPTIONAL)

HP	MODEL	CORD LENGTH							
		50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)									
2	8400AF	\$3,683	\$4,279	\$4,494	\$4,707	\$4,920	\$6,006	\$9,348	Inquire
	8400AF (BTM SCR)	\$3,943	\$4,539	\$4,754	\$4,967	\$5,180	\$6,266	\$9,608	Inquire
3	3.1AF	\$4,601	\$5,103	\$5,279	\$6,112	\$6,257	\$6,224	\$9,611	Inquire
	3.1AF (BTM SCR)	\$4,861	\$5,363	\$5,539	\$6,372	\$6,517	\$6,484	\$9,871	Inquire
5	5.1AF	-	\$6,562	\$7,526	\$8,261	\$9,650	\$11,049	\$12,920	Inquire
	5.1AF (BTM SCR)	-	\$6,822	\$7,786	\$8,521	\$9,910	\$11,309	\$13,180	Inquire
208-240V, THREE PHASE PACKAGES (CONTROL PANEL OPTIONAL)									
2	U2.3AF	\$5,442	\$5,691	\$6,193	\$6,483	\$7,236	\$7,743	\$9,203	Inquire
	U2.3AF (BTM SCR)	\$5,702	\$5,951	\$6,453	\$6,743	\$7,496	\$8,003	\$9,463	Inquire
3	U3.3AF	\$6,140	\$6,401	\$6,904	\$7,533	\$7,685	\$9,468	\$10,035	Inquire
	U3.3AF (BTM SCR)	\$6,400	\$6,661	\$7,164	\$7,793	\$7,945	\$9,728	\$10,295	Inquire
5	U5.3AF	-	\$6,652	\$7,399	\$8,266	\$9,106	\$12,377	\$13,668	Inquire
	U5.3AF (BTM SCR)	-	\$6,912	\$7,659	\$8,526	\$9,366	\$12,637	\$13,928	Inquire

*2HP units operate in as little as 20 in. of water. 3HP units operate in as little as 24 in. of water. 5HP units operate in as little as 26 in. of water.

**Extended warranty available on 2HP, 3HP, and 5HP units.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. Part number is the model combined with cord length (ex. U2.3AF050).
3. "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
4. 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.
5. The correct control panel will depend on the voltage of the unit and if lights are being used. See page 66.



NEVER enter the water with electrical equipment connected and / or in operation.

FLOAT AND BOTTOM SCREEN MODELS (CA-3235 CONTROL PANEL INCLUDED)

HP	MODEL	CORD LENGTH							
		50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, THREE PHASE PACKAGES (INCLUDES CA-3235 CONTROL PANELS)									
2	2.3AF	\$8,884	\$9,121	\$9,594	\$9,867	\$10,581	\$11,063	\$12,725	Inquire
	2.3AF (BTM SCR)	\$9,144	\$9,381	\$9,854	\$10,127	\$10,841	\$11,323	\$12,985	Inquire
3	3.3AF	\$9,453	\$9,699	\$10,175	\$10,708	\$10,916	\$12,601	\$13,470	Inquire
	3.3AF (BTM SCR)	\$9,713	\$9,959	\$10,435	\$10,968	\$11,176	\$12,861	\$13,730	Inquire
5	5.3AF	-	\$10,249	\$10,994	\$11,863	\$12,704	\$15,859	\$17,267	Inquire
	5.3AF (BTM SCR)	-	\$10,509	\$11,254	\$12,123	\$12,964	\$16,119	\$17,527	Inquire

Product Notes:

- Prices in bold have quick disconnect installed on power cords.
- Part number is the model combined with cord length (ex. 2.3AF050).
- "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
- 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.

UNIT-ONLY (A) MODELS (CONTROL PANEL OPTIONAL)

HP	MODEL	CORD LENGTH									
		25 FT	50 FT	75 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)											
2	8400A	-	\$2,330	-	\$2,915	\$3,135	\$3,346	\$3,591	\$4,757	\$8,972	Inquire
3	3.1A	-	\$3,253	-	\$3,778	\$4,027	\$4,959	\$5,322	\$5,673	\$9,206	Inquire
5	5.1A	-	-	-	\$5,154	\$6,061	\$6,793	\$8,333	\$10,473	\$12,581	Inquire
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)											
2	U2.3A	-	\$3,954	-	\$4,231	\$4,774	\$5,087	\$5,881	\$6,452	\$8,222	Inquire
3	U3.3A	-	\$4,540	-	\$4,824	\$5,344	\$5,949	\$6,196	\$8,060	\$8,583	Inquire
5	U5.3A	-	-	-	\$5,106	\$5,871	\$6,689	\$7,618	\$11,086	\$12,722	Inquire

Product Notes:

- Prices in bold have quick disconnect installed on power cords.
- Part number is the model combined with cord length (ex. U2.3A050).
- "A" models include the motor unit only and do not include a float or bottom screen.
- 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.
- The correct control panel will depend on the voltage of the unit and if lights are being used. See page 66.

ROBUSTAIRE™

SMALL DIFFUSED AERATION SYSTEMS

- Includes 1-3 dual-loop diffuser assemblies, 1 compressor, small cabinet, and SureSink Weighted Tubing
- Cabinet can be mounted on the ground or on a vertical structure using the optional mounting bracket
- Ideal for small to mid-size ponds and lakes
- Remote manifold available for installations far from power



Small Cabinet with Patented AireGuard Cabinet Technology



Dual-loop Diffuser Provides Efficient Water Movement



Filter Maintenance Indicator for Easy Maintenance



Lifetime Warranty - Diffuser & Cabinet
 15-Year Warranty - Tubing
 3-Year Warranty - Compressor
 2-Year Warranty - Compressor Piston Cups & Cylinders

PART NUMBER		CABINET	NUMBER OF DIFFUSERS	WEIGHTED TUBING	COMPRESSOR	MSRP	REMOTE MANIFOLD MSRP
120V	208-240V						
RA1	RAH1	Small Cabinet	1	100 ft. 3/8 in. Tubing	(1) 1/4HP Compressor	\$3,015	\$3,315
RA1-NC	RAH1-NC	No-Cabinet	1	100 ft. 3/8 in. Tubing	(1) 1/4HP Compressor	\$1,631	\$1,931
RA2	RAH2	Small Cabinet	2	200 ft. 3/8 in. Tubing	(1) 1/4HP Compressor	\$3,576	\$3,876
RA2-NC	RAH2-NC	No-Cabinet	2	200 ft. 3/8 in. Tubing	(1) 1/4HP Compressor	\$2,412	\$2,712
RA3	RAH3	Small Cabinet	3	300 ft. 3/8 in. Tubing	(1) 1/2HP Compressor	\$4,353	\$4,653
RA3-NC	RAH3-NC	No-Cabinet	3	300 ft. 3/8 in. Tubing	(1) 1/2HP Compressor	\$3,134	\$3,434
DOUBLE PISTON (DP) SYSTEM							
RA2DP	RAH2DP	Small Cabinet	2	200 ft. 3/8 in. Tubing	(1) 1/2HP Compressor	\$3,840	\$4,140
RA2DP-NC	RAH2DP-NC	No-Cabinet	2	200 ft. 3/8 in. Tubing	(1) 1/2HP Compressor	\$2,589	\$2,889

Product Notes:

1. Small Cabinets are ground-mount standard, but can be mounted off the ground on post or similar structure with available mounting bracket. See page 60.
2. Small Cabinet systems include 3/8 in. tubing as standard but will also work with 5/8 in. tubing. See page 60.
3. If less tubing is needed, subtract retail price of the rolls not needed. If more rolls are needed, order more rolls as separate line items.
4. Kasco recommends 5/8 in. tubing for any run longer than 300 ft.
5. Remote manifold systems allow installation long distances from power. These systems include remote valve manifold and valve box.
6. No-Cabinet systems include mounting bracket with cooling fan.
7. Replacement cabinet available. Includes air compressor but no tubing or diffusers. Call Kasco for details.

ROBUSTAIRE™

MEDIUM DIFFUSED AERATION SYSTEMS

- Includes 4-6 dual-loop diffuser assemblies, 2 compressors, and medium cabinet (SureSink Weighted Tubing not included)
- Cabinet is ground-mount only
- Ideal for mid-size ponds and lakes
- Remote manifold available for installations far from power



Medium Cabinet with Patented AireGuard Cabinet Technology



Dual-loop Diffuser Provides Efficient Water Movement



Filter Maintenance Indicator and External Gauges



Lifetime Warranty - Diffuser & Cabinet
 15-Year Warranty - Tubing
 3-Year Warranty - Compressor
 2-Year Warranty - Compressor Piston Cups & Cylinders

PART NUMBER		CABINET	NUMBER OF DIFFUSERS	WEIGHTED TUBING	COMPRESSOR	MSRP	REMOTE MANIFOLD MSRP
120V	208-240V						
RA4	RAH4	Medium Cabinet	4	Tubing Not Included	(2) 1/2HP Compressors	\$5,976	\$6,576
RA5	RAH5	Medium Cabinet	5	Tubing Not Included	(2) 1/2HP Compressors	\$6,307	\$6,907
RA6	RAH6	Medium Cabinet	6	Tubing Not Included	(2) 1/2HP Compressors	\$6,639	\$7,239

Product Notes:

1. Medium Cabinets are ground-mount only. Mount cabinet on a dry, flat surface away from areas that may flood.
2. Accommodates 3/8 in. and 5/8 in. weighted tubing, but must be ordered separately. See page 60.
3. Kasco recommends 5/8 in. tubing for any run longer than 300 ft.
4. Tubing accessories such as fitting kits and connector kits are available. See page 60.
5. Remote manifold systems allow installation long distances from power. These systems include remote valve manifold and valve box.
6. Replacement cabinet available. Includes air compressor but no tubing or diffusers. Call Kasco for details.



Kasco's experienced team of experts will help you select the right system for your application.

ROBUSTAIRE™

LARGE DIFFUSED AERATION SYSTEMS

- Includes 7-12 dual-loop diffuser assemblies, 3-4 compressors, and large cabinet (SureSink Weighted Tubing not included)
- Cabinet is ground-mount only
- Ideal for large industrial or recreational lakes
- Remote manifold available for installations far from power



Large Cabinet with Patented AireGuard Cabinet Technology



Dual-loop Diffuser Provides Efficient Water Movement



Filter Maintenance Indicator and External Gauges



Lifetime Warranty - Diffuser & Cabinet
 15-Year Warranty - Tubing
 3-Year Warranty - Compressor
 2-Year Warranty - Compressor Piston Cups & Cylinders

PART NUMBER		CABINET	NUMBER OF DIFFUSERS	WEIGHTED TUBING	COMPRESSOR	MSRP	REMOTE MANIFOLD MSRP
120V	208-240V						
RA7	RAH7	Large Cabinet	7	Tubing Not Included	(3) 1/2HP Compressors	\$10,625	\$11,625
RA8	RAH8	Large Cabinet	8	Tubing Not Included	(3) 1/2HP Compressors	\$10,946	\$11,946
RA9	RAH9	Large Cabinet	9	Tubing Not Included	(3) 1/2HP Compressors	\$11,300	\$12,300
RA10	RAH10	Large Cabinet	10	Tubing Not Included	(4) 1/2HP Compressors	\$13,023	\$14,023
RA11	RAH11	Large Cabinet	11	Tubing Not Included	(4) 1/2HP Compressors	\$13,356	\$14,356
RA12	RAH12	Large Cabinet	12	Tubing Not Included	(4) 1/2HP Compressors	\$13,677	\$14,677

Product Notes:

1. Large Cabinets are ground-mount only. Mount cabinet on a dry, flat surface away from areas that may flood.
2. Accommodates 5/8 in. weighted tubing, but must be ordered separately. See page 60.
3. Kasco recommends 5/8 in. tubing for any run longer than 300 ft.
4. Tubing accessories such as fitting kits and connector kits are available. See page 60.
5. Remote manifold systems allow installation long distances from power. These systems include remote valve manifold and valve box.
6. Replacement cabinet available. Includes air compressor but no tubing or diffusers. Call Kasco for details.



Kasco's experienced team of experts will help you select the right system for your application.

DIFFUSED AERATION

ACCESSORIES

The table below lists accessories and replacement items available for RobustAire™ and Home Series Diffused Aeration Systems.



RobustAire™ Small Cabinet
Mounting Bracket

PART NUMBER	DESCRIPTION	SYSTEM	INCLUDES	MSRP
772100	RobustAire dual-loop diffuser assembly	RobustAire	(1) Diffuser assembly, (1) 3/8 in. barbed fitting, and (1) 5/8 in. barbed fitting	\$354
774300	RobustAire Small Cabinet mounting bracket	RobustAire (RA1-3 only)	(1) Mounting bracket and assembly hardware	\$350
772200	Home Series single-loop diffuser assembly	Home Series	(1) Diffuser assembly and (1) 3/8 in. barbed fitting	\$140
774440	Home Series Cabinet mounting bracket	Home Series	(1) Mounting bracket and assembly hardware	\$60
773380	3/8 in., 100 ft. roll of weighted tubing	RobustAire Home Series	Weighted tubing and fittings to attach to compressor, diffuser assembly, and extending tubing length	\$113.50
773385	3/8 in., 500 ft. roll of weighted tubing	RobustAire Home Series	Weighted tubing. 500 ft. rolls do not include fittings	\$500
773300	3/8 in. tube fitting kit (included in part number 773380)	RobustAire Home Series	(1) 3/8 in. x 3/8 in. barbed connector and (2) 3/8 in. hose clamps	\$8
773310	3/8 in. connector kits (10 pack)	RobustAire	(10) 3/8 in. x 3/8 in. barbed connectors and (20) 3/8 in. hose clamps	\$57
773580	5/8 in., 100 ft. roll of weighted tubing	RobustAire	Weighted tubing and fittings to attach to compressor, diffuser assembly, and extending tubing length	\$160.50
773585	5/8 in., 500 ft. roll of weighted tubing	RobustAire	Weighted tubing. 500 ft. rolls do not include fittings	\$760
773500	5/8 in. tube fitting kit (included in part number 773580)	RobustAire	(1) 5/8 in. x 5/8 in. barbed connector, (2) 3/8 in. x 5/8 in. barbed connectors, (2) 5/8 in. hose clamps, and (2) 3/8 in. hose clamps	\$19.67
773058	5/8 in. connector kits (10 pack)	RobustAire	(10) 5/8 in. x 5/8 in. barbed connectors and (20) 5/8 in. hose clamps	\$69
774323	Kit, barb, 3/8 MNPT x 5/8 Hose	RobustAire	(3) 3/8 MNPT x 5/8 in. barbed fitting (for use at cabinet)	\$30
774061	Kit, barb, 3/8 MNPT x 5/8 Hose	RobustAire	(6) 3/8 MNPT x 5/8 in. barbed fitting (for use at cabinet)	\$50

HOME SERIES

DIFFUSED AERATION

- Includes 1-2 single-loop diffuser assemblies, 1 compressor, 1 cabinet, and SureSink Weighted Tubing
- Cabinet is stainless steel for longevity in outdoor conditions
- Cabinet can be mounted on the ground or on a vertical structure using the optional mounting bracket
- Quiet operation allows system to blend with backyard environment



Home Series Diffused Aeration Cabinet



Single-loop Diffuser Provides Efficient Water Movement



Ideal for Ponds up to 2 acres and With Less Than 20 ft. of Depth



Lifetime Warranty - Diffuser
15-Year Warranty - Tubing
2-Year Warranty - Cabinet, Compressor, & All External Parts

PART NUMBER	CABINET	NUMBER OF DIFFUSERS	WEIGHTED TUBING	COMPRESSOR	VOLT (V)	MSRP
DA1	Home Series	1	(1) 100 ft. roll of 3/8 in. tubing	(1) 1/4HP Compressor	120	\$1,750
DAH1	Home Series	1	(1) 100 ft. roll of 3/8 in. tubing	(1) 1/4HP Compressor	208-240	\$1,750
DA2	Home Series	2	(2) 100 ft. rolls of 3/8 in. tubing	(1) 1/4HP Compressor	120	\$1,950
DAH2	Home Series	2	(2) 100 ft. rolls of 3/8 in. tubing	(1) 1/4HP Compressor	208-240	\$1,950

Product Notes:

1. Home Series cabinets are ground-mount standard. Mounting Bracket available separately with part number 774440. See page 60.

SIZING RECOMMENDATIONS

Use this table to determine if a DA1 (1 diffuser) or DA2 (2 diffusers) is needed based on pond size and depth.

POND SIZE	DA1	DA2
	POND DEPTH	POND DEPTH
1/4 Acre	6 - 8 ft.	3 - 6 ft.
1/2 Acre	9 - 12 ft.	6 - 8 ft.
1 Acre	13 - 20 ft.	9 - 12 ft.
2 Acres	-	13 - 20 ft.



Kasco's experienced team of experts will help you select the right system for your application.

DIFFUSED AERATION

ACCESSORIES

The table below lists accessories and replacement items available for RobustAire™ and Home Series Diffused Aeration Systems.




RobustAire™ Small Cabinet
Mounting Bracket

PART NUMBER	DESCRIPTION	SYSTEM	INCLUDES	MSRP
772100	RobustAire dual-loop diffuser assembly	RobustAire	(1) Diffuser assembly, (1) 3/8 in. barbed fitting, and (1) 5/8 in. barbed fitting	\$354
774300	RobustAire Small Cabinet mounting bracket	RobustAire (RA1-3 only)	(1) Mounting bracket and assembly hardware	\$350
772200	Home Series single-loop diffuser assembly	Home Series	(1) Diffuser assembly and (1) 3/8 in. barbed fitting	\$140
774440	Home Series Cabinet mounting bracket	Home Series	(1) Mounting bracket and assembly hardware	\$60
773380	3/8 in., 100 ft. roll of weighted tubing	RobustAire Home Series	Weighted tubing and fittings to attach to compressor, diffuser assembly, and extending tubing length	\$113.50
773385	3/8 in., 500 ft. roll of weighted tubing	RobustAire Home Series	Weighted tubing. 500 ft. rolls do not include fittings	\$500
773300	3/8 in. tube fitting kit (included in part number 773380)	RobustAire Home Series	(1) 3/8 in. x 3/8 in. barbed connector and (2) 3/8 in. hose clamps	\$8
773310	3/8 in. connector kits (10 pack)	RobustAire	(10) 3/8 in. x 3/8 in. barbed connectors and (20) 3/8 in. hose clamps	\$57
773580	5/8 in., 100 ft. roll of weighted tubing	RobustAire	Weighted tubing and fittings to attach to compressor, diffuser assembly, and extending tubing length	\$160.50
773585	5/8 in., 500 ft. roll of weighted tubing	RobustAire	Weighted tubing. 500 ft. rolls do not include fittings	\$760
773500	5/8 in. tube fitting kit (included in part number 773580)	RobustAire	(1) 5/8 in. x 5/8 in. barbed connector, (2) 3/8 in. x 5/8 in. barbed connectors, (2) 5/8 in. hose clamps, and (2) 3/8 in. hose clamps	\$19.67
773058	5/8 in. connector kits (10 pack)	RobustAire	(10) 5/8 in. x 5/8 in. barbed connectors and (20) 5/8 in. hose clamps	\$69
774323	Kit, barb, 3/8 MNPT x 5/8 Hose	RobustAire	(3) 3/8 MNPT x 5/8 in. barbed fitting (for use at cabinet)	\$30
774061	Kit, barb, 3/8 MNPT x 5/8 Hose	RobustAire	(6) 3/8 MNPT x 5/8 in. barbed fitting (for use at cabinet)	\$50

TEICHAIRE

COMPRESSORS

- 1/4, 1/2, and 3/4HP, 120V and 208-240V options
- Single phase
- Includes vibration mounts and 6 ft. power cord
- Quiet, oil-less piston compressors built for continuous duty, large aeration applications



Thermal Overload Protection and Will Restart Under Load



3-Year Warranty - Motor
2-Year Warranty - Piston Cups & Cylinders



120V & 208-240V Models
Are UL & CSA Recognized



208-240V Models
Have CE Certification

PART NUMBER	HP	VOLT (V)	WEIGHT (LB)	AMP @ 0 PSI	AMP @ 20 PSI	MSRP
KM-60C	1/4	120	16	2.2	3.2	\$771
KM-60HC	1/4	208-240	16	1.1	1.6	\$771
KM-120C	1/2	120	19	3.0	4.0	\$992
KM-120HC	1/2	208-240	19	1.5	2.0	\$992
KM-200C	3/4	120	28	5.4	6.9	\$1,651
KM-200HC	3/4	208-240	28	3.1	3.7	\$1,651

Product Notes:

1. KM-60C, KM-60HC, KM-120C, and KM-120HC models include a Molex cord connector making them compatible with newer style RobustAire cabinets.
2. TeichAire compressors do not include the pressure relief valve, brass elbow, or air filter assembly. Please reuse these components from the old compressor.

