

1/2HP, 3/4HP, & 1HP

SURFACE AERATOR

- 120V and 208 - 240V, single phase options
- 1-piece float blends in with water’s surface and is easy to install
- Manage from shore with optional human-rated, GFCI-protected control panel (see page 62)



Lighting Packages Available



Shallow Operating Depths*



2-Year Warranty



ETL Listed to UL & CSA Standards

HP	MODEL	CORD LENGTH									
		25 FT	50 FT	75 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
120V, SINGLE PHASE PACKAGES											
1/2	2400AF	-	\$1,273	-	\$1,458	\$2,015	\$2,265	-	-	-	-
	2400AF (BTM SCR)	-	\$1,524	-	\$1,709	\$2,266	\$2,516	-	-	-	-
3/4	3400AF	-	\$1,391	-	\$1,567	\$2,180	\$2,403	-	-	-	-
	3400AF (BTM SCR)	-	\$1,642	-	\$1,818	\$2,431	\$2,654	-	-	-	-
1	4400AF	-	\$1,638	\$1,748	\$2,182	\$2,792	\$3,218	-	-	-	-
	4400AF (BTM SCR)	-	\$1,889	\$1,999	\$2,433	\$3,043	\$3,469	-	-	-	-
208-240V, SINGLE PHASE PACKAGES											
3/4	3400HAF	-	\$1,454	-	\$1,598	\$2,145	\$2,346	\$2,566	\$2,720	\$3,228	Inquire
	3400HAF (BTM SCR)	-	\$1,705	-	\$1,849	\$2,396	\$2,597	\$2,817	\$2,971	\$3,479	Inquire
1	4400HAF	-	\$1,658	-	\$1,788	\$2,407	\$2,648	\$2,869	\$2,980	\$3,137	Inquire
	4400HAF (BTM SCR)	-	\$1,909	-	\$2,039	\$2,658	\$2,899	\$3,120	\$3,231	\$3,388	Inquire

*1/2HP units operate in 17.5 in. of water. 3/4HP units operate in 17.5 in. of water. 1HP units operate in 19 in. of water.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. Part # is the model combined with cord length (ex. 2400AF050).
3. "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
4. The correct control panel will depend on the voltage of the unit and if lights are being used. See page 62 for details.



NEVER enter the water with electrical equipment connected and / or in operation.

2HP, 3HP, & 5HP

SURFACE AERATOR

- 208 - 240V, single and three phase options
- Control panels are optional except for three phase non-"U" models (see page 45)
- Control panels feature human-rated GFCI protection (see page 62)



Lighting Packages Available



Shallow Operating Depths*



3-Year Warranty**



ETL Listed to UL & CSA Standards

FLOAT AND BOTTOM SCREEN MODELS (CONTROL PANEL OPTIONAL)

HP	MODEL	CORD LENGTH							
		50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)									
2	8400AF	\$3,508	\$4,075	\$4,280	\$4,483	\$4,686	\$5,720	\$8,903	Inquire
	8400AF (BTM SCR)	\$3,759	\$4,326	\$4,531	\$4,734	\$4,937	\$5,971	\$9,154	Inquire
3	3.1AF	\$4,382	\$4,860	\$5,028	\$5,821	\$5,903	\$5,928	\$9,611	Inquire
	3.1AF (BTM SCR)	\$4,633	\$5,111	\$5,279	\$6,072	\$6,154	\$6,179	\$9,862	Inquire
5	5.1AF	-	\$5,859	\$6,720	\$7,376	\$8,616	\$9,865	\$12,305	Inquire
	5.1AF (BTM SCR)	-	\$6,110	\$6,971	\$7,627	\$8,867	\$10,116	\$12,556	Inquire
208-240V, THREE PHASE PACKAGES (CONTROL PANEL OPTIONAL)									
2	U2.3AF	\$4,732	\$4,949	\$5,385	\$5,637	\$6,292	\$6,733	\$8,003	Inquire
	U2.3AF (BTM SCR)	\$4,983	\$5,200	\$5,636	\$5,888	\$6,543	\$6,984	\$8,254	Inquire
3	U3.3AF	\$5,482	\$5,715	\$6,164	\$6,726	\$6,862	\$8,454	\$8,960	Inquire
	U3.3AF (BTM SCR)	\$5,733	\$5,966	\$6,415	\$6,977	\$7,113	\$8,705	\$9,211	Inquire
5	U5.3AF	-	\$5,939	\$6,606	\$7,380	\$8,130	\$11,051	\$12,204	Inquire
	U5.3AF (BTM SCR)	-	\$6,190	\$6,857	\$7,631	\$8,381	\$11,302	\$12,455	Inquire

*2HP units operate in 20 in. of water. 3HP units operate in 24 in. of water. 5HP units operate in 26 in. of water.

** Extended warranty available on 2HP, 3HP, and 5HP units.

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. Part # is the model combined with cord length (ex. U2.3AF050).
3. "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
4. 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.
5. The correct control panel will depend on the voltage of the unit and if lights are being used. See page 62 for details.



NEVER enter the water with electrical equipment connected and / or in operation.

FLOAT AND BOTTOM SCREEN MODELS (CA-3235 CONTROL PANEL INCLUDED)

HP	MODEL	CORD LENGTH							
		50 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
208-240V, THREE PHASE PACKAGES (INCLUDES CA-3235 CONTROL PANELS)									
2	2.3AF	\$7,725	\$7,931	\$8,343	\$8,580	\$9,201	\$9,620	\$11,065	Inquire
	2.3AF (BTM SCR)	\$7,976	\$8,182	\$8,594	\$8,831	\$9,452	\$9,871	\$11,316	Inquire
3	3.3AF	\$8,440	\$8,660	\$9,085	\$9,561	\$9,746	\$11,251	\$12,027	Inquire
	3.3AF (BTM SCR)	\$8,691	\$8,911	\$9,336	\$9,812	\$9,997	\$11,502	\$12,278	Inquire
5	5.3AF	-	\$9,151	\$9,816	\$10,592	\$11,343	\$14,160	\$15,417	Inquire
	5.3AF (BTM SCR)	-	\$9,402	\$10,067	\$10,843	\$11,594	\$14,411	\$15,668	Inquire

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. Part # is the model combined with cord length (ex. U2.3AF050).
3. "AF" models include unit and float; "BTM SCR" models include unit, float, and bottom screen.
4. 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.

UNIT-ONLY (A) MODELS (CONTROL PANEL OPTIONAL)

HP	MODEL	CORD LENGTH									
		25 FT	50 FT	75 FT	100 FT	150 FT	200 FT	250 FT	300 FT	400 FT	500+ FT
120V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)											
1/2	2400A	\$968	\$1,004	-	\$1,192	\$1,657	\$1,829	-	-	-	-
3/4	3400A	\$1,057	\$1,098	-	\$1,280	\$1,762	\$1,924	-	-	-	-
1	4400A	\$1,165	\$1,201	\$1,317	\$1,650	\$2,277	\$2,651	-	-	-	-
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)											
3/4	3400HA	-	\$1,097	-	\$1,279	\$1,823	\$2,016	\$2,364	\$2,470	\$2,989	Inquire
1	4400HA	-	\$1,247	-	\$1,423	\$1,904	\$2,115	\$2,648	\$2,761	\$3,057	Inquire
2	8400A	-	\$2,219	-	\$2,776	\$2,986	\$3,187	\$3,420	\$4,530	\$8,545	Inquire
3	3.1A	-	\$3,069	-	\$3,373	\$3,799	\$4,678	\$5,021	\$5,352	\$9,206	Inquire
5	5.1A	-	-	-	\$4,602	\$5,412	\$6,065	\$7,440	\$9,351	\$11,982	Inquire
208-240V, SINGLE PHASE PACKAGES (CONTROL PANEL OPTIONAL)											
2	U2.3A	-	\$3,295	-	\$3,526	\$3,978	\$4,239	\$4,901	\$5,377	\$6,852	Inquire
3	U3.3A	-	\$4,054	-	\$4,307	\$4,771	\$5,312	\$5,532	\$7,196	\$7,663	Inquire
5	U5.3A	-	-	-	\$4,559	\$5,242	\$5,972	\$6,802	\$9,898	\$11,359	Inquire

Product Notes:

1. Prices in bold have quick disconnect installed on power cords.
2. "A" models include the motor unit only and do not include a float or bottom screen.
3. 460 - 480V, three phase option available for special order in approved locations only. Contact Kasco for details.
4. The correct control panel will depend on the voltage of the unit and if lights are being used. See page 62 for details.